



SRI PADMAVATHI

CHILDREN'S HEART

CENTRE

(ESTABLISHED UNDER SRI VENKATESWARA PRANADHANA TRUST)

TIRUMALA TIRUPATI DEVASTHANAMS, TIRUPATI

e-tender Document for

**Procurement of Drugs, Surgicals, Lab Consumables and Instruments etc.,
for the year 2025-2026(2nd Call)**

**Office of the Director
Sri Padmavathi Children's Heart Centre
Alipiri Road, SVIMS Campus,
Tirupati – 517 507,
Tirupati District, Andhra Pradesh.**

TABLE OF CONTENTS		
S.No	Description	Page No.
I	NOTICE INVITING TENDER (NIT)	1-1
II	BID SUBMISSION	2-7
1	Online Tender for the supply of Drugs for Pediatric Use	2
2	Procedure for registration in AP e-procurement portal	2
3	Documents	2
4	General guidelines for quoting of Pediatric items	4
5	List of items	5
6	Bid Submission Acknowledgement	5
7	Cost of bidding	5
8	Amendment of Bidding Documents	5
9	Content of Tender Document	6
10	Processing fee	6
11	Earnest Money Deposit (EMD)	6
12	General instructions for the bidder	7
13	Pre-Bid Meeting	7
III	TERMS AND CONDITIONS	8-20
1	Tender Opening	8
2	Technical Evaluation	8
3	Objections	8
4	Acceptance of Tender	8
5	Rates	9
6	Price Bid Opening	10
7	Performance of Security Deposit	10
8	Entering in to Rate Contract Agreement	11
9	Methodology for placing orders	11
10	Packaging	12
11	Supply Conditions	13
12	Force Majeure Clause	15
13	Quality Testing	15

14	Payment Provisions	16
15	Fall Clause	16
16	Penalties	16
17	Blacklisting in the Event of Withdrawal From The Tender and Non-Adherence to the Quality Standards and Supply Schedule	18
18	Appeal(S) in Case of Black Listing	18
19	Saving Clause	18
20	Resolution of Disputes	18
21	Fraudulent and Corrupt Practices	18
22	General Conditions	20
23	Jurisdiction	20

**SRI PADMAVATHI CHILDREN'S HEART CENTRE
SV PRANADHANA TRUST
TIRUMALA TIRUPATI DEVASTHANAMS
Near BIRRD Hospital,
Alipiri Road, Tirupati – 517 507, Tirupati District, (A.P.)**

E-mail:spchcttd@gmail.com, Web site: <https://www.tirumala.org>, <https://tender.apeprocurement.gov.in>

I. NOTICE INVITING TENDER (NIT)

S. NO	DESCRIPTION	DETAILS
1	Department Name	TIRUMALA TIRUPATI DEVASTHANAMS
2	Circle/Division	SRI PADMAVATHI CHILDREN'S HEART CENTRE, TIRUPATI
3	File/NIT Number	Proc.Roc.No. TTD-117021(31)/2/2025-SPCHC
4	Tender Subject	Procurement of Drugs, Surgicals, lab Consumables and Instruments etc, for pediatric use (Tender id: 803540)
5	List of Items	Approx.Qty. of list of items are given in Annexure- IX
6	Form of Contract	Item Based
7	Tender Type	Open
8	Processing Fee	Rs.2,000/- Annexure- II
9	EMD amount for all bidders	Rs.1,00,000/- Annexure- II
	Exemption for:	SSI, MSME
10	EMD Payable to	The Director, Sri Padmavathi Children's Heart Centre, TTD, Tirupati
11	Schedule Sale Opening Date & Time (from)	22-04-2025 & 11:30 AM
12	Pre Bid meeting Date & Time	28-04-2025 11:30 AM at Conference Hall of SPCHC, Tirupati.
13	Schedule Sale closing Date & Time (up to)	06-05-2025 & 04:30PM
14	Bid Submission Closing Date & Time (up to)	06-05-2025 & 05:00PM
15	Bid Validity	6 months (180 days)
	a) Hardcopies submission closing time	08-05-2025 & 05:00PM
16	b) Tender Opening Date & Time Online	09-05-2025 & 03:30PM
17	Price Bid Opening Date & Time	After Technical bid evaluation.
18	Place of Tender Opening	SPCHC, TIRUPATI
19	Tender Inviting/Opening Authority	The Director, Sri Padmavathi Children's Heart Centre, TTD, Tirupati
20	Address/Email id	spchcttd@gmail.com
21	Contact Details	9700131616 (10:30AM to 05:00PM During office working days)

II. BIDSUBMISSION

1. Online Tender for supply of Drugs for Pediatric use.

Tirumala Tirupati Devasthanams, Tirupati has established Sri Padmavathi Children's Heart Centre under the aegis of SV Pranadana Trust to cater the pediatric cardiology services to poor and needy children. The supplies if required may be extended to any sister departments/Institutions/Organizations of SPCHC relating to TTD during tender validity period.

Tender Inviting Authority: Director, Sri Padmavathi Children's Heart Centre, SV Pranadana Trust, TTD, Tirupati -517501, Andhra Pradesh (herein after referred as Tender Inviting Authority unless the context otherwise requires).

Tender Accepting Authority: Director, Sri Padmavathi Children's Heart Centre, SV Pranadana Trust, TTD, Tirupati -517501, Andhra Pradesh (hereinafter referred as SPCHC unless the context otherwise requires)

Purchaser: The competent authorities of Sri Padmavathi Children's Heart Center (SPCHC) or any departments/Institutions/Organizations of SPCHC relating to TTD will issue the purchase orders as per the quantities required from time to time. The supplies to be made according to the orders. The payment will be made by the respective authorities.

Tender validity period: One years, for the period 2025-2026.

Tender IDs: 803540

The bidders may participate in the tender by submitting EMD. Single **DD of Rs.1,00,000.00** towards EMD will be sufficient to participate for one or more tenders if any floated at a time.

2. Procedure for registration in AP e-procurement portal:

The participating bidders are requested to refer the website of Andhra Pradesh e-procurement for the following information about e-tender: <http://tender.apecurement.gov.in>.

- a) Registration with e- procurement platform
- b) Digital Certificate Authentication
- c) Procedure for bid submission
- d) Transaction fee
- e) Corpus fund etc.

3. Documents:

A. Mandatory documents to be uploaded in ap e-procurement portal:

1. Earnest Money Deposit (EMD) of Rs. 100000/- (Rupees one lakh only) has to be submitted either through online in the AP e Procurement portal or in the form of BG. No other modes of submission of EMD will be accepted. For uploading EMD, select BG option under

EMD. (As per the format in **Annexure-II**)

2. GST registration Certificate and PAN Card of the firm or proprietor.
3. The sales annual turnover of the manufacturers participating in Tender shall be over and above Rs.200.00 crores for the last three financial years. In case of authorized dealer participating in tenders their turnover per annum shall be more than Rs.2 crores along with the turnover of the Authorizing Manufacturer over and above Rs.200.00 Crores in the last 3 financial years i.e.,2020-21, 2021-22, 2022-23. Annual Turnover Certificate with the above details certified and audited by the Chartered Accountant is to be submitted.(As per the format in **Annexure-III**)
4. Declaration for Accepting Tender Conditions. (Notarized affidavit in Rs.100/- non judicial stamp paper as per the format in **Annexure-IV**).
5. In case of MSME/SSI, should submit the “UDHYAM” Registration certification issued by Govt. of India

B. Mandatory documents to be submitted (Hard Copies):

i. Common for all bidders:

All the following documents must be submitted on or before 5pm of after two days of tender closing date along with **checklist of documents** to be submitted as per **Annexure-I** in their letter head.

1. Earnest Money Deposit (EMD) of Rs. 100000/- (Rupees one lakh only) has to be submitted either through online in the AP e Procurement portal or in the form of BG. No other modes of submission of EMD will be accepted. For uploading EMD, select BG option under EMD. (As per the format in **Annexure-II**)
2. GST registration Certificate and PAN Card of the firm or proprietor.
3. The sales annual turnover of the manufacturers participating in Tender shall be over and above Rs.200.00 crores for the last three financial years. In case of authorized dealer participating in tenders their turnover per annum shall be more than Rs.2 crores along with the turnover of the Authorizing Manufacturer over and above Rs.200.00 Crores in the last 3 financial years i.e.,2020-21, 2021-22, 2022-23. Annual Turnover Certificate with the above details certified and audited by the Chartered Accountant is to be submitted.(As per the format in **Annexure-III**)
4. Declaration for Accepting Tender Conditions. Notarized affidavit in Rs.100/- non judicial stamp paper (As per the format in **Annexure-IV**).
5. Completely filled, Sealed and signed tender document of all pages.
6. Valid certificate from CDSCO, if quoting for antibacterial sutures.

ii. Additional documents by Manufacturers:

7. Attested photocopies of manufacturing License issued by Licensing Authority for 3 years for each and every product quoted in tender and duly renewed up to date. In case of new products Institute will take decisions.
8. Valid Market Standing Certificate for three years issued by the Drug Authorities.
9. Non Conviction Certificate issued by Drug Authorities not older than 6 months.
10. Valid GMP/CE/ISO/USFDA/TG AUS/ MCC South Africa/EU/DCGI/WHOGMP certificates.

iii. Additional documents by Importers:

11. Valid Import License issued by DCGI.
12. Valid Authorization from the Manufacturing Company. In case of imported items, if foreign manufacturers are not providing documents, Indian Franchise/importers/distributors have to provide on behalf of the foreign company/s.
13. Form 20B and 21B or 21C issued by Drug Authority.
14. Valid GMP/CE/ISO/USFDA/TG AUS/ MCC South Africa/EU/DCGI/WHOGMP certificates.

C. Additional documents by Distributors:

15. Valid Authorization from the Manufacturing Company.
16. Form 20B and 21B or 21C issued by Drug Authority.
17. Manufacturing License/Valid GMP/CE/ISO/USFDA/TG AUS/ MCC South Africa/EU/DCGI/WHOGMP certificates.
18. Manufacturing License, Market standing certificate, GMP certificate.

D. Documents to be submitted (Hard Copies) common for all bidders:

19. Items list as mentioned in clause No.5(ii)
20. DPCO Declaration as per the format in Annexure-V, if quoting for the products having price fixed by the Govt. of India.
21. Bidder details format as per annexure-VI

Note:

1. *Bids shall be submitted online only at ap e-procurement portal along with mandatory documents mentioned in S.No:1 to 4. If not uploaded the bid will be rejected. Manual bids shall not be accepted.*
2. *The tenderer should submit hard copies of all the documents of the Technical bid along with uploaded documents.*
3. *Do not enclose Expired certificates which may lead to rejection.*
4. *Brochures and literatures shall be submitted for the quoted products. Without Brochures, the bidder will not be selected in Technical Bid.*
5. *If the documents are proven false, cheating or misleading the firm shall pay Rs.1,00,000/- (Rupees one lakh only) as penalty to SPCHC in addition to legal action for cheating/misleading the Institution.*
6. *Do not wait till the end date and to avoid overcrowding in the ap e-procurement portal.*
7. **Uploading irrelevant documents against the particular field at AP e-Procurement portal there by creating confusion to the Tender evaluation authorities may leads to rejection or disqualification of bids at Technical stage without assigning any reason. No further correspondence is made in this regard.**

4. General guidelines for quoting of Pediatric items:

- i. Tenderers are requested to quote the items as per the specifications attached.
- ii. In the items list, for those mentioned as --etc. in the item name, the complete details are given in description. **Go thoroughly the list of items description, specification and quote accordingly.** The items list is available in **Annexure-IX**

- iii. Where reference is made in the Technical specifications to specific standards and code to be met by the goods and materials to be furnished or tested, the provision of the latest current editions or revision of the relevant standards or codes in effect shall apply, unless otherwise expressly stated in the contract. Where such standards and codes are national or related to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.
- iv. All items should be of high quality, durable and suitable for use in a Super Specialty Hospital. The technical specification of each item delivered shall be that currently in use at the time of delivery.
- v. Standard and Quality Assurance for Supply
 - a. Where ISI Certification goods are available, procurement shall generally be limited with ISI or equivalent marking only.
 - b. All products must confirm to all the specifications including the General specifications, contain herein with respect to the Indian Standard codes given.
- vi. Only one best quality item (as per our specification) should be quoted against each item. On no account should different qualities of items be quoted. The items that have been quoted as per different qualities will not be considered at all.
- vii. The purchaser may waive any minor informality or non-conformity or irregularity in a bid which does not constitute a material deviation, provided such a waiver does not prejudice or affect the relative ranking of any bidder.
- viii. Price bids without mentioning the units/size or makes/brands or with altered unit/size shall be treated as non-responsive and will be rejected.

5. List of Items: The list of items are furnished in **Annexure-IX**.

- i. While quoting the items, Make (*manufactured by/marketed by*), Brand names, packing for items should be mentioned under remarks **column** while filling Technical parameters under PQ stage. ***Otherwise items will be removed from Technical evaluation list.***
- ii. Submit hard copy of (C-21) the list of items quoted by mentioning make/ brand/pack which are quoted in online by the bidder in the following format.

S.No.	Item Code	Name of the item	Manufactured by	Marketed by	Brand name	Pack size	License details	Attach License (Mention page no.)
1								

Do not mention prices, if do so the bid will be rejected. Please verify the list of items in **Annexure-IX** while quoting.

6. Bid Submission Acknowledgement:

The bidder shall complete all the processes and steps required for Bid submission. The system will generate an acknowledgement with a unique bid submission number after completing all the prescribed steps and processes by the bidder. Users may also note that the bids for which an acknowledgement is not generated by the e-procurement system are treated as invalid or not saved in the system. Such invalid bids are not made available to the Tender Inviting Authority for processing the bids. SPCHC, Service provider and APTS, Vijayawada are not responsible for incomplete bid submission by users.

7. Cost of bidding:

The bidder shall bear all costs associated with the preparation and submission of their bids, and SRI PADMAVATHI CHILDREN'S HEART CENTRE(SPCHC), Tirupati here in after called as "The Purchaser" will no case be responsible or liable for these costs regardless of the bidding process.

8. Amendment of Bidding Documents:

At any time prior to the deadline for submission of bids, the purchaser may for any reason whether at its own initiative or in to a clarification requested by prospective bidder, shall modify the bidding documents by amendment.

There will not be any individual communication in respect of general notices, amendments etc. The amendment will be notified online on the website <https://tender.apecurement.gov.in>.

In order to afford prospective bidders reasonable time in which to take the amendment into account in preparing their bid, the purchaser may at its discretion, extend the deadline for submission of the bids.

9. Content of Tender Document:

The tender procedure, EMD, documents required, Bid Submission procedure, Technical evaluation details, Security deposit, Rate contract agreement, Supply conditions, contract terms, Payment conditions, Penalties, list of items required (technical bid) etc. are given in the tender document. The Tenderer is expected to examine carefully all the instructions, forms, terms and specifications in the tender documents.

The tender document shall be downloaded from the websites <https://www.tirumala.org/> r <https://tender.apecurement.gov.in>. The bidder is requested to download the tender document and read all the terms and conditions mentioned in the tender Document and seek clarification if any from the Tender Inviting Authority. If the tenderer assumes certain thing and quote the tender without seeking clarifications, it will be at their own risk.

The bidder has to keep track of any changes by viewing the **Addendum/Corrigendum** issued by the Tender Inviting Authority on time-to-time basis in the E-Procurement platform. The Department calling for tenders shall not be responsible for any claims/problems arising out of this.

10. Processing fee :

The bidder shall submit processing fee of Rs.2, 000/- online through AP e-Procurement portal payable to the "The Director, Sri Padmavathi Children's Heart Centre, TTD, Tirupati".

11. Earnest Money Deposit (EMD):

- i. Earnest Money Deposit (EMD) of Rs. 100000/- (Rupees one lakh only) has to be submitted either through online in the AP e Procurement portal or in the form of BG. No other modes of submission of EMD will be accepted. For uploading EMD, select BG option under EMD. (As per the format in **Annexure-II**)
- ii. **MSME/SSI Units** situated in AP State are exempted from the payment of EMD, provided documentary evidence is submitted.

- iii. If the bidder withdraws the bid after submitting online and during the period of its validity as specified by the bidder the EMD will be forfeited.
- iv. The EMD of successful tenderer will be converted in to security deposit and should submit separate DD for excess Security Deposit. The same will be returned after successful completion of the tender period.
- v. The Old EMD's and SD's will not be adjusted towards EMD or SD of current tender.
- vi. If successful tenderer fails to enter into RC agreement (**Annexure-VIII**) on the non-Judicial stamp paper worth Rs. 100/- (Rupees one hundred only) or fails to make supply as ordered during the course of his tender validity the EMD will be **Confiscated**.
- vii. The EMD shall be paid through online. The copy of the payment receipt shall be uploaded during bid submission. EMD in the other form will not be accepted.
- viii. For uploading of EMD payment receipt in APTS portal select BG option under EMD.
- ix. After finalization of the Tender, the EMD of the unsuccessful/disqualified bidders will be returned.

12. General Instructions for the bidder:

- i. All the documents must be submitted to the Tender Inviting Authority (TIA) within 2 days before 5pm of second day after tender closing date. Otherwise the tender is liable for rejection.
- ii. The DD and hard copies should reach the office of the Director, SPCHC as given below either by post / Courier or by person before the deadline.

The Director,

Sri Padmavathi Children's Heart Centre,
Next to BIRRD Hospital,

Alipiri Road, Tirupati-517507.

- iii. All the bidders shall invariably upload the scanned copies of DDs in e-Procurement system and this will be the primary requirement to consider the bid responsive.
- iv. The department shall carry out the technical evaluation solely based on the uploaded certificates/documents, DD towards EMD in the e-Procurement system and open the price bids of the selected bidders after evaluation of technical bids.
- v. The Tender Inviting Authority will not take any responsibility for any delay in receipt/non-receipt of original DD towards EMD, Certificates/Documents from the bidder before the stipulated time.
- vi. The Institute will not hold any risk and responsibility for non visibility of the scanned documents.
- vii. In case of Manufacturers, who wish to supply through their authorized distributor shall submit the format as per **Annexure-VII** in their letter head along with supporting documents of the distributor.

13. Pre Bid Meeting:

The Pre bid meeting will be held on the date mentioned in the NIT. If the bidders have any

quarries, the bidders may participate in the pre bid meeting physically or through virtually through Zoom link (with Prior request). Queries after pre bid meeting will not be entertained under any circumstances.

III. TERMS AND CONDITIONS

e-Tenders are invited from Manufacturers/Importers or their authorized distributors under 'Dual bid' system by SRI PADMAVATHI CHILDREN'S HEART CENTRE (SPCHC) for purchase of Pediatric items as per the enclosed list required for Sri Padmavathi Children Heart Center (SPCHC), TTD. The approximate list of requirement is given in **Annexure-IX**. The quantities may increase or decrease at the time of purchase during the tender period.

1. Tender Opening:

The Tenders are opened at the time mentioned through online. The message will be received by authorized person to the registered mail ID or Contact No. The bidder can see through online with their digital Key.

2. Technical Evaluation:

The technical bid which contains qualification requirements will be evaluated by the Procurement Committee at SPCHC. The Price bids of qualified Tenderers whose products are selected by the committee shall be opened. The reasons for disqualification and non-responsiveness to the bid conditions are notified in the APTS portal to the technically rejected bids/items.

3. Objections:

Any objections on the documents of other bidders opened shall be accepted through mail/ in person till two days after tender opening day up to 5.00pm. After that no objections shall be accepted by the Institute.

4. Acceptance of tender:

- i. Evaluation will be made by the Tender Evaluation Committee either based on samples, Product Broachers submitted by the companies or random sampling of the products.
- ii. Hard copies of detailed brochures or catalogues of Pediatric items have to be submitted to the O/o The Director, Sri Padmavathi Children's Heart Centre, Near BIRRD Hospital, Tirupati. The company name, department name, Tender ID and item serial No. are to be marked on the brochures. Failure to send brochure may lead to rejection of that particular item.
- iii. The Purchaser reserves the right to reject or to accept the tenders for the supply of all items or any one or more of the items tendered in a tender without assigning any reason. No correspondence will be entertained in this regard.
- iv. The purchaser or its authorized representative(s) has/have the right to inspect the manufacturing premises of Tenderers, before accepting the rate quoted by them or before releasing any purchase order(s) or at any point of time during the continuance of tender and also has the right to reject the tender or terminate/cancel the purchase orders issued

and/or not to place further order, based on adverse reports brought out during such inspections.

- v. Any effort by a bidder to influence the purchaser in the purchaser's bid evaluation, bid comparison or contract award decisions may result in rejection of Bidders bid.
- vi. The two bid system followed in tender has been designed to make the tender process more scientific and transparent and to eliminate those suppliers/products which do not match the eligibility criteria, product specification and manufacturing process requirements and manufacturing with proper licenses.

5. Rates:

- i. The rate quoted per unit (unit as specified per foil or each piece and rate per kit or per mtr in Tender schedule) should be inclusive of packing, forwarding insurance, storage, transportation, loading, unloading, license Fees, Octroi, road permits etc., and inclusive of GST. The percentage of GST amount has to be shown separately. Tenders where the rate quoted is for a unit other than the one asked for, shall not be considered. No handling, clearing or transport charges will be paid.
- ii. **Rate inclusive of all duties and Exclusive of GST** should be quoted for each on F.O.R. basis as per the instructions in Purchase Order, in metric system units according to the unit asked for, together with manufacturer name. The deliveries should be made as stipulated in the supply orders placed on successful tenderers by the Hospital Authorities concerned.
- iii. **Drug Price Control Order (DPCO):** The price quoted by the tenderers shall not, in any case exceed the Drugs Price Control Order (DPCO) controlled price, if any, fixed by the Central/State Government. Tender Inviting Authority at its discretion, may exercise, the right to revise the price at any stage so as to conform to the controlled price as the case may be. This discretion will be exercised without prejudice to any other action that may be taken against the Tenderer. To be submitted as per the format in Annexure-V.
- iv. Tenderers must carefully apply the decimals while quoting the rates. For eg. quoted 3.65 instead of 36.50. Hence all bidders are here by warned to place decimals carefully.
- v. If prices are quoted wrongly and any representation after price bid opening shall not be considered and may be liable for forfeiture of EMD.
- vi. If an item is quoted by only one bidder (Except Exclusive/ Proprietary make items) the Institute will float supplementary tenders. During supplementary tender (2nd time), the L1 is decided, if necessary by comparing with the price of the item in main tender.
- vii. Tenderers must understand that they will not be allowed for any increase over the rates quoted by them during the period of contract. The rate revision may be considered only in case of imposition of duty or increase in tax by Government either Central or State. Only after necessary legal documentary evidence produced by the firm in support thereof. Without production of such documents, rate revision cannot be accepted. However, supply of items cannot be stopped. In such case the tenderer will be liable for risk purchase and penalty there under shall be imposed during the tender period.
- viii. The rates quoted and accepted will be binding on the Tenderer for the full contract period of two years and any increase in the price will not be entertained till the completion of this contract period.
- ix. Further the tenderers are requested to note that any taxes to be deducted at source at the rate fixed by the appropriate Govt. agency i.e. State / Central, shall be deducted at the time of payment against the supplies.

- x. The tenderer has to submit the details of cost structure of items quoted if required by the purchaser.
- xi. Form "C" or Form "D" or Form "N" will NOT be issued by this Institute.
- xii. Rates quoted in the tender shall be valid for acceptance for a period of 180 days from the last date fixed for receipt of tender. After acceptance, the rates and Terms and Conditions have to be kept valid for a period of two years or until the implementation of next Rate Contract whichever is later. No changes in Rate shall be entertained during the Rate Contract period.
- xiii. The price quoted by the tenderers shall not in any case, exceed the controlled price, if any fixed by Central / State Government and the maximum retail price (MRP). The Purchaser at his discretion, will exercise, the right of revising the price at any stage so as to confirm to the controlled price or MRP as the case may be. This discretion will be exercised without prejudice to any other action that may be taken against the tenderer.
- xiv. "Only MRP printed stocks to be supplied". Do not supply item mentioned as "Hospital supply, not for sale" etc.
- xv. If at any time during the period of contract, the price of tendered items is reduced or brought down by any law or Act of the Central or State Government or by the Tenderer himself, the Tenderer shall be bound to inform to SPCHC immediately about such reduction in the contracted prices. Tender Inviting Authority is empowered to unilaterally effect such reduction as is necessary in rates in case the Tenderer fails to notify or fails to agree for such reduction of rates.

6. Price Bid Opening:

The Price bids of qualified bidders for the selected items will be opened through online.

If the rate quoted by a tenderer is found to be unreasonable that particular item/s will be rejected without assigning any reason.

After conclusion of Commercial bid evaluation, all the lowest bids are considered as L1 bidders. Prices have to be kept valid for a period of two years or until the implementation of next Rate Contract whichever is later. The L1 tenderers shall pay the security deposit and enter into Rate contract agreement.

The bidders are requested to quote their best competitive rates as there are **no negotiations.**

7. Performance of Security Deposit:

- i. On being informed about the acceptance of the tender the successful tenderer shall be required to pay a Performance Security Deposit of 5% of the contract value. Security Deposit should be paid before the due date fixed, in the form of Demand Draft drawn in favor of "**The Director, Sri Padmavathi Children's Heart Centre, TTD, Tirupati**".
- ii. The Security Deposit furnished by such tenderer in respect of his tender will be returned to him upon complete fulfillment of the tender period or the extended period if any to the satisfaction of the Director, Sri Padmavathi Children's Heart Centre, Tirupati.

- iii. The Purchaser also reserves right to place one-time purchase order for certain quantity of any items even without price agreement, for such items suppliers are required to pay performance security deposit @ 5 % of value of order of such drug in the form of DD.
- iv. The Tenderer shall not, at any time, assign, sub-let or make over the contract or the benefit thereof or any part thereof to any person or persons what so ever.
- v. All notices or communications relating to and arising out of this price agreement or any of the terms thereof shall be considered duly served on or given to the Tenderer if delivered to him or left at the premises, places of business or abode as provided by the tenderer.
- vi. If the lowest selected Tenderer fails to deposit the required Performance Security Deposit (PSD) within the time specified or withdraws the tender, after the intimation of the acceptance of the tender or owing to any other reasons to undertake the contract, the contract will be cancelled and the Earnest Money Deposit deposited by the tenderer along with the tender shall stand forfeited by the SPCHC and the firm will also be liable for all damages sustained by the SPCHC apart from blacklisting and other penal actions.
- vii. The performance security deposit of supplier will be returned by SPCHC only after the supplier has given undertaking to replace such medicines and indemnify SPCHC against any losses on account of quality parameters.
- viii. **MSME/SSI** units situated in A.P are exempted from payment of Performance Security Deposit.

8. Entering Into Rate Contract Agreement:

After opening of price bid, the L1 tenderers shall pay the security deposit of 5% on total value and enter into agreement with SPCHC on Rs.100/- (Rupees One hundred only) worth Non-Judicial Stamp Paper. On receipt of the intimation from SPCHC the bidder shall submit the security deposit and agreement within **15 days** from the date of finalization of Tenders. The specimen form of agreement is attached to the tender document (**Annexure-VIII**). Failure of the successful tenderer to comply with this requirement shall constitute sufficient grounds for the annulment of the award, in which case the purchaser may at his sole discretion, make the award to the next lowest evaluated tenderer or call for new tenders. The non-complaint tenderer shall be losing the E.M.D. In addition, if any bidder wants to omit one or few items from the RC due to withdrawal of the product from manufacturing line/quoting wrong items etc., the acceptance shall be at the discretion of SPCHC. The purchase order will be issued from time to time basis for a specific quantity during the period of rate contract.

Non-performance of any of the contract conditions and provisions will disqualify a firm from participating in the tender for the next 2 years besides forfeiture of EMD.

The acceptance of the tenders for Price Agreement is for 1(**One**) year's period will be communicated to the Tenderer/s.

9. Methodology for Placing Orders:

- i. After the conclusion of Price Bid opening, the rates offered by tenderers for each product are evaluated and lowest acceptable rate (L1 Rate) arrived at is declared. The Tenderer is communicated about the list of the L1 products and to enter rate contract agreement.
- ii. The successful Tenderer is eligible for the placement of Purchase Orders only after depositing the required amount as Performance Security.
- iii. If two or more than two Tenderers are declared as lowest suppliers for the same item(s), such Tenderers are eligible for price agreement and the placement of Purchase Orders for such item(s) for which they are declared as lowest. Placement of order shall be shared equally amongst these bidders subject to supply.
- iv. The supplier after committing the default in supplies either partly or fully, can inform the Purchaser about his willingness to execute the Purchase Order during the tender period. The Purchaser at discretion may consider the willingness of the supplier on merit. However, such supplies will be subjected to the levy of Liquidated Damages, unexecuted fine and other penalties as stipulated in the tender document, price agreement and purchase order.
- v. The purchase orders (PO) are issued by SPCHC and any other sister departments of SPCHC in TTD as per their requirement and schedule. The stocks to be supplied directly to the concerned hospitals as per the P.Os.
- vi. The items supplied in excess of the ordered quantity shall not be accepted and the supplier shall take back the excess at their cost. The Purchaser will not be responsible for the loss to the supplier and will not entertain any demand/claim. As per pack size the stock will be accepted with little excess/short quantities.
- vii. In the case of purchase of goods where the quantity offered at the lowest price is less than the total quantity required, the purchaser may, after placing orders with the lowest evaluated Tenderer for the entire quantity offered by such Tenderer subject to his ability to supply, require all the other eligible Tenderers who participated in the tender and offered a price higher than that offered by the lowest evaluated Tenderer, to submit sealed offers of the quantity they would be willing to supply at the price quoted by the lowest evaluated Tenderer, and thereafter place orders for the remaining required quantity with all those who match the lowest evaluated price such that those who bid lower prices in the original tender get a higher priority for supply.

10. Packaging:

The items shall be supplied in the packaging specified for the items with their coding. The Corrugated package shall not weigh more than 15kgs. (i.e. Product + inner carton + corrugated box). All corrugated boxes should be of 'A' grade paper i.e., Virgin. All items should be packed only in first hand box only.

- i. **Flute:** The corrugate boxes should be of narrow flute.
- ii. **Joint:** Every box should be preferably single joint and not more than two joints
- iii. **Stitching:** Every box should be stitched using pairs of metal pins with an interval of two inches between each pair. The boxes should be stitched and not jointed using calico at the corners.
- iv. **Flap:** The flaps should uniformly meet but should not overlap each other. The flap when turned by 45-60° should not crack.
- v. **Tape:** Every box should be sealed with gum tape running along the top and lower

- opening
- vi. **Carry strap:** Every box should be strapped with two parallel nylon carry straps. They should not intersect.
- vii. **Others:** No box should contain mixed products or mixed batches of the same product.

11. Supply Conditions:

- i. After opening of the price bids, the Authorities can generate purchase orders on L1 price.
- ii. The supplier has to obey and supply even before submitting the agreements.
- iii. The Tenderer should also Communicate and mail the details of supply, to the Purchaser within 7 days from the receipt of the purchase order. If no response is received within 7 days from the supplier / tenderer about supply of Pediatric items as per purchase order, it shall be presumed that the supplier/tenderer is not interested to supply the items ordered as per purchase order and the Purchaser shall purchase the items from alternative sources.
- iv. The first supplies are on approval basis. If the Hospital Authorities are not satisfied with the quality, the products are liable for rejection and institute may procure from others.
- v. Supplies against a purchase order shall be completed within 60 days otherwise liquidated damages are levied by the purchaser. Not less than 50% within 30days and rest of the stocks within 60th day. Penalty will be imposed for late supply @0.3% per day between 61-90 days.
- vi.
 - a. The supply period can be extended subject to requirement as per institutional authorities by imposing 0.5% per day between 91-120 days.
 - b. Beyond 60 days, the institute/s reserves the right to cancel the PO and to go for procurement with L2/L3/Quotation or from Whole sale market in the event of shortage/emergency of the institute.
 - c. If the tenderer fails to execute the supply within the stipulated time, the Purchaser is empowered to make emergency purchases and claim the difference in total cost from the tenderer (L1) in addition to other penal clauses.
 - d. If a supplier fails to execute supply order (0% execution) Performance Security Deposit of the product mentioned in purchase order shall be forfeited. If SD is exhausted to deduct from EMD.
 - e. The above clauses will be applied as per the emergency condition, short supply as per the discretion of the Authorities on case to case basis.
 - f. In case of urgency, the stocks to be supplied within 2weeks to meet the emergencies.
- viii. Supplies for Pediatric items shall be of Quoted Brands only which are quoted in Tenders and alternative brands will not be accepted. On emergencies, if the committee approves, the alternative brands may be accepted by imposing 0.5% penalty.
- ix. Supplies are to be made along with three copies of invoices. It shall be the responsibility of the tenderer for any shortages/damages at the time of receipt in respective stores of the authority issued purchase orders.
- x. If the samples do not conform to statutory standards, the Tenderer will be liable for relevant action under the existing laws and the entire stock in such batch has to be taken back by the Tenderer within a period of 30 days of the issue of the letter from the competent authority. Such stock shall be taken back at the expense of the Tenderer. Further, actual testing charges (including handling charges for conducting those tests) shall be paid to SPCHC by the supplier otherwise these charges shall be recovered from their pending bill/EMD/performance

security deposit. The hospital authorities has the right to destroy such "**Not of Standard Quality** ", if the Tenderer does not take back the goods within the stipulated time. The hospital authorities will arrange to destroy such items and shall also collect demurrage charges calculated at the rate of 2% per week on the value of those items which are of —"**Not of Standard Quality**" rejected till such time stipulated. Further, the cost of disposal shall be recovered from the supplier.

- xi. If the samples do not conform to statutory standards, the tenderer will be liable for relevant action under the existing laws and the entire stock should be taken back by the tenderer within a period of 15 days of the receipt of information from Purchaser. The stock shall be taken back at the expense of the tenderer. Purchaser has the right to destroy such substandard goods if the tenderer does not take back the goods within the stipulated time. The Drugs control authority will be informed for initiating necessary action on the tenderer and that product shall be blacklisted and no further supplies of that product accepted from the firm till they are legally cleared. The tenderer shall also not be eligible to participate in SPCHC tenders for supply of such items for a period of three subsequent years.
- xii. The tenderers should clearly understand that the decision of the Director, SPCHC or authorized officer regarding quality of the supplied Items shall be final and binding.
- xiii. If the supplies are declared as not of standard quality or spurious or adulterated or mis-branded, such batch/batches will be deemed to be rejected goods. If any items supplied by the tenderer is partially or wholly used or consumed after supply and is subsequently found to be not as per specifications, unsound, inferior in quality or description or otherwise faulty or unfit for consumption by the purchaser, then the cost of such items will be recovered from the tenderer, if the payment had already been made, in addition to penalty for the entire batch. Further the purchaser reserve the right to procure the stocks from other sources.
- xiv. If the tenderer fails to execute the supply within the stipulated time, the Purchaser is empowered to make emergency purchases and claim the difference in total cost from the tenderer in addition to other penal clauses.
- xv. All the supplies will be scheduled for the period from the date of acceptance till the completion of the tender in installments, as may be stipulated in the supply order. The supplied items should have minimum potency for the maximum period as prescribed in the Drugs and Cosmetics Act 1940 and rules there under on the date of supply. It shall be responsibility of the tenderer for any shortages, damages at the time of receipt in the Stores and Purchaser is not responsible.
- xvi. **Shelf Life:**
 - (a) For all items 4/6th of their total shelf life at the time of supply.
 - (b) In case of imported items, the shelf life should not be less than 50%.
 - (c) In case of any emergency the supplier supplying items with less expiry will be accepted by imposing penalty of 1% value of the item.
- xvii. The supplier shall not be liable to pay Liquidate Damages and forfeiture of performance security deposit for the delay in executing the contract on account of the extension of supply period on the ground of majeure events.
- xviii. Suppliers are required to supply the items within the delivery period mentioned in the purchase order. In this regard it is informed to the bidders that their performance shall be considered unsatisfactory in case of delayed supply (Beyond delivery period) or non-

supply of products. Purchaser may reject their bid in future tenders considering their unsatisfactory performance of supplies.

- xix. If purchaser observes some physical defects (like empty blisters, improper labeling) of the supplies during sampling, the batch shall be rejected. If supplier wants to take back the batch for rectification, they can take back at their cost, rectify and send back to purchaser within 10 days otherwise same batch shall not be accepted. Due to rectification, if its shelf life condition as per tender provision does not meet, it shall be discretion of purchaser depending upon requirement to accept the goods with or without penalty.
- xx. If the items is not consumed prior to its expiry date i.e., six months before expiry, the purchaser will notify about the short expiry of Items. Upon receipt of such information, the supplier should replace (at own cost of supplier to and fro) the short expiry/expired quantity with fresh stock of longer shelf life, otherwise the value equal to the cost of expired quantity will be deducted from the bills or any other amount payable to the firm.
- xxi. If the supply is received in damaged condition, open delivery of the supplies shall be received, wherein it is possible to physically inspect the shipment, damaged products shall not be accepted.

12. Force Majeure Clause:

If at any time the tenderer has, in the opinion of the Purchaser delayed the supply of items due to one or more reasons related to force majeure events such as riots, mutinies, wars, fire, storm, tempest, floods or other exceptional events at the manufacturing premises, the time for supplying the items may be extended by the purchaser at discretion for such period as may be considered reasonable. However, such extension shall considered only if a specific written request is made by the tenderer within 20 days from the day of occurrence of such event with necessary documentary evidence. The exceptional events do not include the increase in the cost of raw material, electricity failure, labour disputes/strikes, insolvency, and closure of the factory/ manufacturing unit on any grounds etc.

13. Quality Testing:

- i. As and when deemed necessary, samples will be obtained and subjected to necessary quality testing. All the necessary expenditure including supply of samples shall be borne by the tenderer.
- ii. The Tenderer must submit an Analysis report as and when the Tender Evaluation Committee of SPCHC asked for in the event of random check or sampling of items within 10 days. In case of failure on part of the supplier to furnish such report, the batch of will be returned to the supplier and he is bound to replenish the same with Govt. approved lab test report. The items supplied by the successful Tenderer shall be of the best quality and the specifications, stipulations and conditions specified in the tender.
- iii. The Tender Evaluation Committee of SPCHC is authorized for random check or sampling of items. The Items having suspicious will be sent for quality testing labs with their remarks through Asst. Director Drug Control Authorities (DCA).
- iv. The samples will be drawn periodically if required for testing.
- v. If any discrepancies found, the action should be taken as per the instructions of the committee.
- vi. If found improper packing, any other defects while handling, etc., the committee will disqualify the item and recommended for withdrawal, black listed for 2-3 years. The cost

of the batch supplied will be stopped apart from imposing other penalties.

- vii. In the event of the samples of items supplied fails in quality tests or found to be not as per specifications, the Purchaser is at liberty to make alternative purchase of items for which the Purchase orders have been placed from any other sources or in the open market or from any other Tenderer who might have quoted higher rates, at the risk and the cost of the supplier and in such cases the Purchaser has every right to recover the cost and impose penalty as per the decision of the Tender Evaluation Committee of SPCHC.
- viii. The products should conform to the standards as the case may be. However, the items shall be accepted only if supplied conforming to the standards outlined. In case the product is not included in the any of the said compendiums, the supplier, upon award of the contract, must provide the reference standards and testing protocols for quality control testing. For imported items, respective standards shall be acceptable.
- ix. The supplier shall furnish evidence of the basis for shelf life and other stability data concerning the commercial final package on request by the Purchaser. In case of any complaint in the field, the B.M.R/B.P.R for the particular batch of the product(s) supplied shall be produced when demanded.
- x. In case, the Govt. Of India implements new regulations for manufacturing of the products during the validity of the tender period, the bidder shall comply and shall submit the documents. Failing so, they will be disqualified and suitable action will be initiated.

14. Payment Provisions:

- i. No advance payment will be made to the tenderer.
- ii. The payment may be made within 2 (Two) months from the date of supply subject to availability of funds.
- iii. The payment will be processed after supplying full quantity or till the completion of the supply schedule.

15. Fall Clause:

If at any time during the period of contract, the price of tendered items is reduced or brought down by any law or Act of the Central or State Government or by the Tenderer himself, the Tenderer shall be bound to inform to SPCHC immediately about such reduction in the contracted prices. Tender Inviting Authority is empowered to unilaterally effect such reduction as is necessary in rates in case the Tenderer fails to notify or fails to agree for such reduction of rates.

16. Penalties:

- i. If the successful tenderer fails to execute the agreement or not submitting the required security deposit within the time specified or withdrawn the tender after the intimation of the acceptance of the tender has been sent to him or owing to any other reasons, he is unable to undertake the contract, his contract will be cancelled and the Earnest Money Deposit deposited by him along with his tender shall be withhold and he will also be liable for all damages sustained by the Purchaser, by reasons of breach, such as failure to supply, delayed supply, including the liability to pay any difference between the prices accepted by him and those ultimately paid for the procurement of the articles concerned. Such damages shall be assessed and recovered by the Purchaser, whose decision is final in this matter.
- ii. Supplies against the purchase order shall be completed within 60 days otherwise liquidated

damages are levied by the Purchaser as follows:

Surgical Items	Stipulated supply period as per tender Clause	% of penalties
A.	60days	Nil
	61 st - 90 th day	0.3% per day
	91 st - 120 th day	The supply period can be extendable for another 30 days beyond 90 days upon request @ 0.5% per day
B.		If the tenderer fails to execute the supply within the stipulated time, the Purchaser is empowered to make emergency purchases and claim the difference in total cost from the tenderer (L1) in addition to imposing of other penal clauses.
<p><i>Note: The above clauses (A),(B) will be applied as per the emergency condition, short supply as per the discretion of the Authorities on case to case basis.</i></p>		

- iii. For contravention of the stipulations of the contract or for other justifiable reasons, the contract may be terminated by the Purchaser, and the Tenderer shall be liable to pay for all losses sustained by the Purchaser in consequence of the termination which may be recovered from the Tenderer, as per rules besides forfeiture of Performance Security Deposit.
- iv. Non-performance of contract provisions will provide the base to disqualify a firm to participate in the tender for the next three years.
- v. In the event of supplies failing quality test, contract with the tenderer will be suspended and purchases made from alternative supplies. Such firms may be black listed for three years beginning from the year following the one in which defective supplies was detected. The tenderer shall also be liable for action under criminal law and the matter shall be notified to the Drugs Control authorities.
- vi. In all the above conditions, the decision of the Director, SRI PADMAVATHI CHILDREN'S HEART CENTRE shall be final and binding.
- vii. In the event of making Alternative Purchase, penalty will be imposed on the supplier. The excess expenditure over and above contracted prices incurred by the purchaser in making such purchases from any other sources or in the open market or from any other Tenderer who has quoted higher rates and other losses sustained in the process, shall be recovered from the Performance Security Deposit or from any other money due and become due to the supplier and in the event of such amount being insufficient, the balance will be recovered personally from the supplier as per rules.
- viii. The Tenderer shall furnish the source of procurement of raw material utilized in the formulations, if required by the purchaser. The purchaser reserves the right to cancel the purchase orders, if the source of supply is not furnished
- ix. If there are any deviations in these Tender conditions, action will be taken to blacklist the product and/or a separate damage will be levied @ 0.5% of value of the defaulted quantity irrespective of the Tender Inviting Authority.
- x. The Purchaser will be at liberty to terminate the contract without assigning any reasons thereof either wholly or in part on one month's notice. The tenderer will not be entitled to any compensation whatsoever in respect of such termination.
- xi. In all the above conditions, the decision of the Director, SPCHC shall be final and binding.

17. Blacklisting in the Event of Withdrawal From The Tender and Non-Adherence to the Quality Standards and Supply Schedule:

- i. If any Company / Supplier supply similar items to any other agency / State in the country at the rate lower than the rate at which supplied to SPCHC during the rate contract period, the difference amount is liable to be recovered apart from the blacklisting of firm for minimum of 2years.
- ii. If the Tenderer(s) fails to perform the obligations under the tender conditions / commits default in the performance of the contract, such Tenderers will be blacklisted for a period of 2 years by the Purchaser SPCHC from the date of observing the defect besides forfeiture of Performance security deposit.
- iii. Substandard supply or supply of any part or whole consignment without meeting the quality specifications shall also entails **blacklisting** of the firm for a minimum period of **two years** for a particular product.

18. Appeal(S) in Case of Black Listing:

- i. A supplier/firm who's product or the supplier/firm, itself have been blacklisted by SPCHC which is displayed in the website i.e. <https://spchcttd.org/> may within 15 days from the date of display, may appeal to the Director General, Drug Control Administration, A.P.
- ii. The Director General, Drug Control Administration, A.P., after such enquiry into the matter, as is considered necessary and after giving the said supplier an opportunity for representing his views, may pass such order in relation there to, as he thinks fit.
- iii. If the firm is not satisfied with the outcome, may appeal within 15 days to the Executive officer, TTD, Tirupati for review. After such enquiry into the matter, as is considered necessary and after giving the said supplier an opportunity for representing his views, may pass such order in relation there to, as it thinks fit.

19. Saving Clause: No suit, prosecution or any legal proceedings shall lie against the Purchaser or any employee of SPCHC for anything, which is done in good faith or intended to be done in pursuance of tender. The Purchaser reserves the right to make modification, alteration or relaxation in any of the clauses or conditions given in this tender document.

20. Resolution of Disputes: If any dispute or difference arises between the parties relating or concerning or to interpretation of the tender or any alleged breach thereof or any matter relating to the tender, the same shall be settled by the parties as far possible by mutual discussion and consultation between themselves, whether the same has arisen during the subsistence of the tender or thereafter.

In the event of any dispute arising out of the tender, it will be settled through mutual discussions and consensus failing which through arbitration as per Arbitration & Conciliation Amendment Act 2005, failing which through court of law within jurisdiction of Tirupati. ALL THE LAWS OF THE LAND WILL APPLY.

21. Fraudulent and Corrupt Practices:

If SPCHC determines that a Supplier has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Purchaser SPCHC may, after giving 7 days notice to the Supplier, terminate the Supplier's engagement under the Contract and cancel the contract, and the procurement will be made at the risk and cost of the supplier besides blacklisting the bidder for **tender validity period** with forfeiture of Performance security deposit apart from other penal actions. It is purchaser's policy to ensure that suppliers and their authorized representatives/agents observe the highest standard of ethics during the procurement and execution of such contracts. (In *this context, any action taken by a bidder, supplier, contractor, or by their authorized representatives/agent, to influence the procurement process or contract execution for undue advantage is improper*) In pursuance of this policy, the purchaser:

(a) Defines: for the purposes of this provision, the terms set forth below as follows:

- i. "Corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party (*"another party" refers to a public official acting in relation to the procurement process or contract execution*). In *this context, "public official" includes staff and employees of other organizations taking or reviewing procurement decisions.*
- ii. "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation (a *"party" refers to a public official; the terms "benefit" and "obligation" relate to the procurement process or contract execution; and the "act or omission" is intended to influence the procurement process or contract execution*).
- iii. "Collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party [*"parties" refers to participants in the procurement process (including public officials) attempting to establish bid prices at artificial, non competitive level*].
- iv. "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party (a *"party" refers to a participant in the procurement process or contract execution*).
- v. "obstructive practice" is
 - a. deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or acts intended to materially impede the exercise of the purchaser's inspection and audit rights provided for under sub-clause (e) below.
 - b. will reject a proposal for award if it determines that the bidder considered for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for the contract in question;
 - c. will cancel the contract if the purchaser determines at any time that the bidder, supplier and contractors and their sub-contractors engaged in corrupt, fraudulent, collusive, or coercive practices.

- d. will sanction a firm or individual, including declaring in eligible, either indefinitely or for a stated period of time, to be awarded a contract if it at any time determines that the firm has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for, or in executing, a contract; and
- e. Will have the right to inspect the accounts and records of the bidders, supplier, and contractors and their subcontractors/authorized representatives and to have them audited by auditors appointed by the purchaser.

22. General Conditions:

- i. The details of the required Pediatric items are shown in the Technical Bid i.e., under Item description. The quantity mentioned is only probable requirement and may increase or decrease as per the actual requirement. The rates shall not vary with the quantum of the order.
- ii. The L1 suppliers are entitled to be placed the purchase orders for Pediatric items up to the required quantity and if there are more than one L1 supplier, the purchase orders will be placed among them in equal proportions.
- iii. Apart from the regular tender L1 supplier the other participant/s will be asked for their willingness to supply their quoted product at tender L1 price (agreed L1). In case the tender L1 fails to supply the subsequent order/s will be placed on agreed L1 supplier/s. If L2 not agrees to supply at L1 prices, order will be placed at L2 price and difference will be deducted from L1 supplier.
- iv. Tender has been called for in the generic names for Pediatric items. The specification of each product should be as per the details given in the Schedule. Any variation will result in the rejection of the product.
- v. No Company which has been blacklisted either by SPCHC or by any State / Central / Autonomous Organizations should not participate in the tender during the period of blacklisting.
- vi. Clerical error etc., committed by the tenderer in the tender forms shall not be considered after opening of the tenders.
- vii. If at any time the price of Tendered items is reduced by any Law or Act of Central or State Govt. or by the Tenderer himself, the payment will be made at reduced rate.
- viii. Conditions such as “**SUBJECT TO AVAILABILITY**”, “**SUPPLIES WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED**” etc., will not be considered under any circumstances and the tenders of those who have given such conditions shall be treated incomplete and for that reason, shall be summarily **rejected**.

23. Jurisdiction:

In the event of any dispute arising out of the tender such dispute would subject to the jurisdiction of the Honorable Civil Courts within the city of Tirupati, A.P. only.

*****END OF DOCUMENT*****

ANNEXURE-I

(Check list of Documents to be Submitted and uploaded by the bidders in the following order)

S.No	Name of the Document	Uploaded	
A.	Mandatory Documents to be uploaded in ap e-procurement portal:		
1	Earnest Money Deposit (EMD) of Rs. 100000/- (Rupees one lakh only) has to be submitted either through online in the AP e Procurement portal or in the form of BG. No other modes of submission of EMD will be accepted. For uploading EMD, select BG option under EMD. (As per the format in Annexure-II)		
2	GST registration Certificate and PAN Card of the firm or proprietor.		
3	The sales annual turnover of the manufacturers participating in Tender shall be over and above Rs.200.00 crores for the last three financial years. In case of authorized dealer participating in tenders their turnover per annum shall be more than Rs.2 crores along with the turnover of the Authorizing Manufacturer over and above Rs.200.00 Crores in the last 3 financial years i.e.,2020-21, 2021-22, 2022-23. Annual Turnover Certificate with the above details certified and audited by the Chartered Accountant is to be submitted.(As per the format in Annexure-III)		
4	Declaration for accepting Tender Conditions, (Notarized Affidavit in 100/- non judicial stamp paper as per the format in Annexure-IV)		
B. Mandatory Documents to be submitted (Hard Copies):		Submitted	Page Nos.
i. Common for all bidders:			
1	Earnest Money Deposit (EMD) of Rs. 100000/- (Rupees one lakh only) has to be submitted either through online in the AP e Procurement portal or in the form of BG. No other modes of submission of EMD will be accepted. For uploading EMD, select BG option under EMD. (As per the format in Annexure-II)		
2	GST registration Certificate and PAN Card of the firm or proprietor.		
3	The sales annual turnover of the manufacturers participating in Tender shall be over and above Rs.200.00 crores for the last three financial years. In case of authorized dealer participating in tenders their turnover per annum shall be more than Rs.2 crores along with the turnover of the Authorizing Manufacturer over and above Rs.200.00 Crores in the last 3 financial years i.e.,2020-21, 2021-22, 2022-23. Annual Turnover Certificate with the above details certified and audited by the Chartered Accountant is to be submitted.(As per the format in Annexure-		

	III)		
4	Declaration for accepting Tender Conditions, (Notarized Affidavit in 100/- non judicial stamp paper as per the format in Annexure-IV)		
5	Completely filled, Sealed and signed tender document of all pages.		
6	Valid certificate from CDSCO, if quoting for antibacterial sutures.		
ii. Additional documents by Manufacturers:			
7	Attested photocopies of manufacturing License issued by Licensing Authority for 3 years for each and every product quoted in tender and duly renewed up to date. In case of new products Institute will take decisions.		
8	Valid Market Standing Certificate for three years issued by the Drug Authorities.		
9	Non- Conviction Certificate issued by Drug Authorities not older than 6months.		
10	Valid GMP/CE/DCGI/WHO GMP/USFDA/ISO Certificates		
iii. Additional documents by Importers:			
11	Valid Import license issued by DCGI.		
12	Valid Authorization from the Manufacturing Company. In case of imported items, if foreign manufacturers are not providing documents, Indian Franchise/ importers/distributors have to provide on behalf of the foreign company/s.		
13	Form 20B and 21B or 21C issued by Drug Authority.		
14	Valid GMP/CE/DCGI/WHO GMP/USFDA/ISO Certificates.		
iv. Additional document by Distributors:			
15	Valid Authorization from the Manufacturing Company.		
16	Form 20B and 21B or 21C issued by Drug Authority.		
17	Manufacturing License/Valid GMP/CE/ISO/USFDA/TG AUS/ MCC South Africa/EU/DCGI/WHOGMP certificates.		
18	Manufacturing License, Market standing certificate, GMP certificate.		
v. Documents to be submitted (Hard Copies) common for all bidders:			
19	Items list as mentioned format in clause No.5(ii)		
20	DPCO Declaration as per the format in Annexure-V, if quoting for the products having price fixed by the Govt. of India.		
21	Bidder details format as per Annexure-VI		

TRANSACTION NO.(If any):

DATE OF PAYMENT :

BANK :

BRANCH :

PLACE :

AMOUNT : **Rs.1,00, 000/-**

PROCESSING FEE (Online Only)

PAYMENT ID: :

TRANSACTION NO(if any):

DATE OF PAYMENT :

BANK :

BRANCH :

PLACE :

AMOUNT : **Rs.2,000/-**

Note: Attach Online receipts.

Tenderer Sign & Seal

ANNEXURE-III**TURNOVER FORMAT**

(Format for certificate from the Chartered Accountant)

(I) It is certified that M/s..... is a Private Ltd. /Proprietorship / Partnership company/ firm and they have PAN no.....and GST registration no..... They have filed Income tax returns and GST returns up to date. The authorized signatory of the company/ firm is Shri.....and whose signature is attested as under:
.....

(II) The annual Turnover of M/s.....for the past three years are given below and certified that the statement is true and correct.

S.No	Financial Year	Turnover (Rs.)
1	2020-21	
2.	2021-22	
3.	2022-23	
TOTAL in Rs.		
Average Turnover per annum in Rs.		

(III) The annual Turnover of Authorizing manufacturers for the past three years, in case of participating distributors are given below and certified that the statement is true and correct.

S. No	Financial Year	Turnover (Rs.)			
		Manufacturer1	Manufacturer2	Manufacturer3	Manufacturer4 etc.,
1	2020-21				
2.	2021-22				
3.	2022-23				
TOTAL in Rs.					
Average Turnover per annum in Rs.					

Date:.....

(Name, Signature & Stamp)

Registration No.

ANNEXURE -IV**DECLARATION FOR TENDER CONDITIONS*****(Proforma be submitted in 100/- Non judicial Stamp Paper as Notarized affidavit)*****Part -A**

I------(Authorized Signatory) read the Tender Document and agreed for the terms and conditions of SRI PADMAVATHI CHILDREN'S HEART CENTRE, Tirupati.

Part- B

This is to state that.....

.....(Mention name and address of the firm) **is neither convicted nor blacklisted in preceding three years** by any competent authority. No **Vigilance/CBI/FEMA** cases are pending against the firm.

I also state that the third party manufacturers, if quoted by me are **neither convicted nor blacklisted** in preceding three years. No **Vigilance/CBI/FEMA** cases are pending against these companies.

Part C

I/we declare that, any document submitted by the firm for the quoted products either in online or offline for the tender, if found to be Forged/Fabricated/ Erroneous/ False, the firm will be liable for blacklisting along with forfeiture of EMD/Security Deposit. If the firm is exempted from EMD/Security Deposit, the amount equivalent to the same will be paid by the firm as penalty to SPCHC, in addition to this, SPCHC can initiate legal action as per law.

Seal & Signature of the Tenderer

Note:

- (i) The above proforma has to be submitted "as it is" in the Notary affidavit.***
- (ii) No changes will be entertained and it may lead to rejection of the Tender.***

ANNEXURE –V
DPCO Declaration

(Proforma be submitted in 100/- Non judicial Stamp Paper as Notarized affidavit)

I/We.....

Having our.....Office
at..... The conditions of tender sent to me / us by the
Director, SPCHC, TTD, Tirupati for the tenders floated by him for the supply of medicines, lab
items etc., for the tender for a period of two years from the date of acceptance and a Tender by all
conditions set forth therein.

We hereby accept to supply the surgical items/ Items specified at the accepted
.....(price) rates quoted by us in the tender document against the selected
item or any matching price of Drugs Price Control Order (DPCO) as accepted by the department.

We will not quote & supply the surgical items /Items specified to the any agency/state in the
country at the rate lower than the rate quoted in this tender.

If we quote lower rate than the rate quoted to purchaser as the case may be to any other
agency/state in the country in future we will remit the differential cost to Purchaser as the case may
be.

I /We further declare that I/We possess valid Drug License bearing No.

Valid up to..... :

Signature :

Date :

Name of the
Firm and address :

Note: This document is to be submitted (Hard Copy) wherever it is applicable.

**SRI PADMAVATHI CHILDREN'S HEART CENTRE
TIRUMALA TIRUPATI DEVASTHANAMS
TIRUPATI-517 507**

ANNEXURE –VI

BIDDER DETAILS FORMAT

Ref: Tender Notice No. TTD-117021(31)/2/2025-SPCHC, Dt: 16-01-2025

Participating Category: Manufacturer ()/Importer ()/Distributor ()(Tick the appropriate)

S.N o	Details Required	DETAILS
1	Company Name	
	PAN Number	
	TIN Number	
	GST NO.	
	Date of Inception	
	License No. & Date	
	Issued By	
	Valid Up to	
2	Postal Address of the Company	
	Telephone No.	
	Fax No.	
	E-mail ID	
	Alternate E-mail ID	
3	Name of the Managing Director / Director / Manager	
	Mobile No. / Phone No	
	E-mail ID:	
4	Name and Designation of the authorized official Name:	
	Designation:	
	Mobile No.	
	E-mail ID:	
5	Bank Details	
	Name of the Bank	

Branch Name & address	
Branch Code No.	
Branch Manager Mobile No.	
Branch Telephone no	
Branch E-mail ID	
9 digit MICR code number of the bank and branch appearing on the MICR.	
cheque issued by the bank Branch	
Type of Account(Current / Savings)	
Account Number (as appear in cheque book)	

(In lieu of the bank certificate to be obtained, please upload the original cancelled cheque issued by your bank for verification of the above particulars).

I / We hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all the reasons of incomplete or incorrect information, I would not hold the Purchaser responsible. I have read the conditions of the tender / Price agreement and agree to discharge the responsibility expected of me / from the company as a tenderer / successful tenderer.

Date:

Place:

Company Seal Signature
(Name of the person signing & designation)

Note : In case of change of above details, the bidder has to intimate the Tender Inviting Authorities(TIA) within 15 days for updates.

ANNEXURE –VII
BIDDER DECLARATION DETAILS FORMAT

(This Annexure is applicable for manufactures who are sponsoring the distributors)

I/We.....are
authorizing M/s.....Office
at.....to supply the stocks and receive payment on
behalf of us. I will be responsible for all the tender terms and conditions. The distributor details are
as follows:

Sl. No.	Particulars	DETAILS
1	Manufacturer details (Bidder)	
2	List of products authorization given (separate sheet may be attached if necessary)	
3	Distributor Details	
	PAN Number (attach copy)	
	GST NO. (attach copy)	
	License No. & Date (attach copy)	
	Issued By	
	Valid Up to	
4	Postal Address of the Distributor	
	Telephone No.	
	E-mail ID	
	Alternate E-mail ID	
5	Bank Details	
	Name of the Bank	
	Account Number:	
	Branch Name & address	
	Branch Code No.	

Signature with seal

- Note:**
1. This Annexure is applicable for manufactures who are sponsoring the distributors.
 2. The distributor supporting documents as mentioned in point no.3.
 3. The manufacturer, if required can change the distributor any time for continuous and uninterrupted supply of items.
 4. In case of change of above details, the bidder has to intimate the Tender Inviting Authorities(TIA) within 15 days for updates.

ANNEXURE –VIII

PROFORMA of RATE CONTRACT AGREEMENT

(In Rs.100/- Non Judicial Stamp paper)

(This document is to be submitted after getting L1 products)

THIS AGREEMENT is made on -----Day------(date)between SRI PADMAVATHI CHILDREN'S HEART CENTRE, Tirupati (hereinafter called the "**Purchaser**") of the one part and _____(Name & address of the Tenderer) (hereinafter called the "**Supplier**") of the other part:

WHEREAS the purchaser is desired that certain **Drugs** and ancillary services viz_____(Brief description of goods and services) and has accepted a bid by the supplier for the supply of those goods and services in the sum of Rs. _____ (Contract price in words and figures) (hereinafter called the contract price) to the hospital by TTD as mentioned in the Tender.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this agreement words and expressions shall have the same meaning as are respectively assigned to them in the conditions of contract referred to.
2. All the documents of the tender are deemed to form shall be deemed to form and be read and construed as part of this agreement.
3. In consideration of the payments to be made by the purchaser to the supplier as hereinafter mentioned, the supplier hereby covenant with the purchaser to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the contract.
4. The purchaser hereby covenants to pay the supplier in consideration of the provision of the goods and services and the remedy of defects therein, the contract price or such other sum as may become payable under the provisions of the contract at the time in the manner prescribed by the contract.
5. The rates, Terms and Conditions have to be kept valid for a period of **One year** from the date of opening of price bidder until the implementation of next Rate Contract whichever is later. No changes in Rate shall be entertained during the Rate Contract period.
6. If the bidder agreed to authorize their distributor where ever applicable if meeting the eligibility criteria. A declaration format to be submitted discuss by the bidder to agree with all tender conditions.
Brief particulars of goods and services which shall be supplied/ provided by the supplier are as under:

S. No.	Item Code	Name of the item	Manufactured by	Marketed by	Brand name	Pack size	Qty	Unit price	Tax	Total cost

1										
---	--	--	--	--	--	--	--	--	--	--

Total Value :

Delivery Schedule : As per tender terms and conditions along with penalty clauses.

IN WITNESS WHEREOF the parties here to have caused this agreement on the day and date written above.

Sign, seal of the Tenderer

Sign, seal of the Purchaser

In the presence of(Tenderer part)

In the presence of

ANNEXURE -IX

SRI PADMAVATHI CHILDREN'S HEART CENTRE

List of Items with Specifications

Item Code	Item Name	Group Name	Item Detailed Description	Item Detailed Specifications	UOM	Rate Contract
IN002	CASTRO VEJO (6.0)	SPCHC2NDC ALL2025	Micro Needle holder round handle diamond coated jaw light weight with lock(23cm/9) USFDA APPROVED	Micro Needle holder round handle diamond coated jaw light weight with lock(23cm/9) USFDA APPROVED	EACH	Yes
IN011	NEONATAL MEDIUM SPEADER	SPCHC2NDC ALL2025	Double blade sternum retractor USFDA Approved	Double blade sternum retractor USFDA Approved	EACH	Yes
IN012	PEADIATRIC MEDIUM SPREADER	SPCHC2NDC ALL2025	Double blade sternum retractor USFDA Approved	Double blade sternum retractor USFDA Approved	EACH	Yes
IN013	COOLEY RECTRACTOR (BIG)	SPCHC2NDC ALL2025	Cardiac vascular clamps USFDA Approved	Cardiac vascular clamps USFDA Approved	EACH	Yes
IN014	ADULT CROSS CLAMP	SPCHC2NDC ALL2025	Cardiac vascular clamps USFDA Approved	Cardiac vascular clamps USFDA Approved	EACH	Yes
IN015	PEDIATRIC CROSS CLAMP	SPCHC2NDC ALL2025	Cardiac vascular clamps USFDA Approved	Cardiac vascular clamps USFDA Approved	EACH	Yes
IN016	COOLEY RECTRACTOR (PED)	SPCHC2NDC ALL2025	Cardiac vascular clamps USFDA Approved	Cardiac vascular clamps USFDA Approved	EACH	Yes
IN017	COOLEY RECTRACTOR (MEDIUM)	SPCHC2NDC ALL2025	Cardiac vascular clamps USFDA Approved	Cardiac vascular clamps USFDA Approved	EACH	Yes
IN022	VASCULAR FORCEPS	SPCHC2NDC ALL2025	Debakey conical straight jaws 2.8mm 20cm/8,23cm/9,15 cm/6 USFDA Approved	Debakey conical straight jaws 2.8mm 20cm/8,23cm/9,15 cm/6 USFDA Approved	EACH	Yes
IN023	VASCULAR FORCEPS	SPCHC2NDC ALL2025	Debakey conical straight jaws 3.5mm 20cm/8,23cm/9,15 cm/6 USFDA Approved	Debakey conical straight jaws 3.5mm 20cm/8,23cm/9,15 cm/6 USFDA Approved	EACH	Yes

IN024	NEEDLE HOLDER 1.0,2.0	SPCHC2NDC ALL2025	Straight mayo hegar needle holder with tungstncarbide jaw 23cm/9 USFDA Approved	Straight mayo hegar needle holder with tungstncarbide jaw 23cm/9 USFDA Approved	EACH	Yes
IN025	NEEDLE HOLDER 3.0,4.0	SPCHC2NDC ALL2025	Straight mayo hegar needle holder with tungstncarbide jaw 23cm/9 USFDA Approved	Straight mayo hegar needle holder with tungstncarbide jaw 23cm/9 USFDA Approved	EACH	Yes
IN026	SELF RECTANING RECTOR (BIG)	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
IN027	SELF RECTANING RECTOR (MEDIUM)	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
IN029	SHELL CROSS	SPCHC2NDC ALL2025	As per Standard specifications USFDA Approved	As per Standard specifications USFDA Approved	EACH	Yes
IN030	STRAIGHT ARTERY FORCEPS	SPCHC2NDC ALL2025	Fine artery Forceps 8inch	Fine artery Forceps 8inch	EACH	Yes
IN031	CURVED ARTERY FORCEPS	SPCHC2NDC ALL2025	Fine artery Forceps 8inch	Fine artery Forceps 8inch	EACH	Yes
IN032	CURVED ARTERY FORCEPS	SPCHC2NDC ALL2025	Blunt artery Forceps 15inch	Blunt artery Forceps 15inch	EACH	Yes
IN033	STRAIGHT MOSQUITO	SPCHC2NDC ALL2025	Fine artery Forceps 6inch	Fine artery Forceps 6inch	EACH	Yes
IN034	CURVED FINE MOSQUITO	SPCHC2NDC ALL2025	Fine artery Forceps 6inch	Fine artery Forceps 6inch	EACH	Yes
IN035	KOCKERS	SPCHC2NDC ALL2025	Blunt artery Forceps 10inch	Blunt artery Forceps 10inch	EACH	Yes
IN036	BULLET TIPS (SMALL,MED,BIG)	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
IN037	EYE LIDS ALL SIZERS	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
IN038	RUSSIAN FORCEPS	SPCHC2NDC ALL2025	20cm/8,25cm/10 As per standard specfication	20cm/8,25cm/10 As per standard specfication	EACH	Yes

IN039	ADULT WIRE TWISTER	SPCHC2NDC ALL2025	9inch As per standard specification USFDA Approved	9inch As per standard specification USFDA Approved	EACH	Yes
IN040	ADULT WIRE CUTTER	SPCHC2NDC ALL2025	9inch As per standard specification USFDA Approved	9inch As per standard specification USFDA Approved	EACH	Yes
IN041	RIGHT ANGLE 8INCHES	SPCHC2NDC ALL2025	8inch As per standard specification USFDA Approved	8inch As per standard specification USFDA Approved	EACH	Yes
IN042	FINE RIGHT ANGLE (SMALL)	SPCHC2NDC ALL2025	6inch As per standard specification USFDA Approved	6inch As per standard specification USFDA Approved	EACH	Yes
IN043	SMALL PAED CARDIAC SUCTION TIP	SPCHC2NDC ALL2025	As per standard specification USFDA Approved	As per standard specification USFDA Approved	EACH	Yes
IN044	MALLEBAL RECTRACTOR(ALL SIZES)	SPCHC2NDC ALL2025	As per standard specification USFDA Approved	As per standard specification USFDA Approved	EACH	Yes
IN045	RIB SPREADER (PEAD)	SPCHC2NDC ALL2025	As per standard specification USFDA Approved	As per standard specification USFDA Approved	EACH	Yes
IN046	HEAVY STRAIGHT SCISSOR	SPCHC2NDC ALL2025	operating scissor straight blunt round tungcarbide jaw 15cm/6 USFDA Approved	operating scissor straight blunt round tungcarbide jaw 15cm/6 USFDA Approved	EACH	Yes
IN047	HEAVY CURVED SCISSOR	SPCHC2NDC ALL2025	operating scissor straight blunt round tungcarbide jaw 15cm/6 USFDA Approved	operating scissor straight blunt round tungcarbide jaw 15cm/6 USFDA Approved	EACH	Yes
IN048	BLUNT HOOK	SPCHC2NDC ALL2025	As per Standard specification	As per Standard specification	EACH	Yes
IN049	FINE HOOK	SPCHC2NDC ALL2025	As per Standard specification	As per Standard specification	EACH	Yes
IN050	TUBING CLAMPS 6 inch,8 inch	SPCHC2NDC ALL2025	USFDA approved	USFDA approved	EACH	Yes
IN051	TOWEL CLIPS	SPCHC2NDC ALL2025	As per Standard specification	As per Standard specification	EACH	Yes

IN052	HANDLE POTS	SPCHC2NDC ALL2025	short extract fine blade angled 60 degrees (18cm/7)	short extract fine blade angled 60 degrees (18cm/7)	EACH	Yes
IN053	UMBILICAL VEIN DILATOR	SPCHC2NDC ALL2025	1.7MM DIAMETER TIP, 5MM LONG AND 95MM SIZE	1.7MM DIAMETER TIP, 5MM LONG AND 95MM SIZE	EACH	Yes
IN054	VESSEL DILATOR	SPCHC2NDC ALL2025	MODIFIED FORECEPS WITH ELONGATED, PARALLEL TIPS	MODIFIED FORECEPS WITH ELONGATED, PARALLEL TIPS	EACH	Yes
IN055	OPHTHALMIC TYING FORECEPS, STRAIGHT AND CURVED	SPCHC2NDC ALL2025	MC PHERSON FORECEPS	MC PHERSON FORECEPS	EACH	Yes
IN056	HEGGAR DILATORS ALL SIZES	SPCHC2NDC ALL2025	USFDA approved	USFDA approved	EACH SIZE	Yes
IN058	NEEDLE HOLDER- MEDIUM	SPCHC2NDC ALL2025	Medium	Medium	EACH	Yes
IN059	NEEDLE HOLDER MEDIUM - 16CM	SPCHC2NDC ALL2025	DCGI/CE approval	DCGI/CE approval	EACH	Yes
IN072	MYOTROLLY	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
IN081	CARDIAC TABLE	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
LC006	ESR PIPPETS	SPCHC2NDC ALL2025	Polystyrene material and capacity 0.5 milliliter	Polystyrene material and capacity 0.5 milliliter	Each Pack	Yes
LC007	SMALL TIPS	SPCHC2NDC ALL2025	Standard	Standard	Each Pack	Yes
LC008	BIG TIPS	SPCHC2NDC ALL2025	Standard	Standard	Each Pack	Yes
LC017	CREATININE	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC018	UREA	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes

LC019	BILIRUBIN TOTAL AND DIRECT	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC020	SGOT	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC021	GLUCOSE	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC022	CHOLESTEROL	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC023	TRIGLYCERIDE S	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC024	S CALCIUM	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC025	HDL	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC026	URIC ACID	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC027	SGPT	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC028	ALP	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC029	TOTAL PROTEIN	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC030	ALBUMIN	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC031	ERBA WASH KIT	SPCHC2NDC ALL2025	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Transasia Bio- Medicals Ltd,EBRA Kits,Chem-5X.	Each KIT	Yes
LC037	CRP KIT	SPCHC2NDC ALL2025	Agappe Mispa i2 suitable kit for CRP TESTING	Agappe Mispa i2 suitable kit for CRP TESTING	Each kit	Yes

LC038	PROBE CLEANER	SPCHC2NDC ALL2025	Suitable for Mindray 5130 cell counter	Suitable for Mindray 5130 cell counter	Each	Yes
LC039	M-52 DILUENT	SPCHC2NDC ALL2025	Suitable for Mindray 5130 cell counter	Suitable for Mindray 5130 cell counter	Each	Yes
LC040	M - 52 LH LYSE	SPCHC2NDC ALL2025	Suitable for Mindray 5130 cell counter	Suitable for Mindray 5130 cell counter	Each	Yes
LC041	M - 52 DIFF LYSE	SPCHC2NDC ALL2025	Suitable for Mindray 5130 cell counter	Suitable for Mindray 5130 cell counter	Each	Yes
LC046	PT BEEDS	SPCHC2NDC ALL2025	Should be suitable with Agappe mispa clog machine	Should be suitable with Agappe mispa clog machine	Each	Yes
LC048	GLASS TUBES	SPCHC2NDC ALL2025	Standard	Standard	Each Pack	Yes
LC049	RIA TUBES	SPCHC2NDC ALL2025	Standard	Standard	Each Pack	Yes
LC050	URINE CONTINER	SPCHC2NDC ALL2025	Sterile, only for urine collection for culture with volume of 50 to 60 ml, should be with screw use	Sterile, only for urine collection for culture with volume of 50 to 60 ml, should be with screw use	EACH	Yes
LC053	Scalp Vein Set All SIZES	SPCHC2NDC ALL2025	As per Standard Specifications	As per Standard Specifications	EACH SIZE	Yes
LC054	CENTRIFUGE	SPCHC2NDC ALL2025	Technical specifications-speed range from 500 to 5000 rpm on load with variable speed regulator, it should be fitted with digital timer 0-59 minutes and digital speed incicator,LED/LCD, The machine should be supplied with angle rotor head having 12 tubes of 10 ml capacity or more, it should be supplied with	Technical specifications-speed range from 500 to 5000 rpm on load with variable speed regulator, it should be fitted with digital timer 0-59 minutes and digital speed incicator,LED/LCD, The machine should be supplied with angle rotor head having 12 tubes of 10 ml capacity or more, it should be supplied with	Each	Yes

			stainles steel tube carrier,rubber cushions,and graduate glass tube of 10 ml capacity graduated plastic tubes of 15ml capacity.The motor should be fitted with anti vibrations pads,it should be also fitted with electronic lid lock which should not open when machine is in running.	stainles steel tube carrier,rubber cushions,and graduate glass tube of 10 ml capacity graduated plastic tubes of 15ml capacity.The motor should be fitted with anti vibrations pads,it should be also fitted with electronic lid lock which should not open when machine is in running.		
LC057	DISTILLED WATER-5 L	SPCHC2NDC ALL2025	5 lts capacity	5 lts capacity	Each Pack	Yes
LC062	CD-DETERGENT	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC063	CREATININE	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC064	UREA	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC065	BILIRUBIN TOTAL AND DIRECT	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC066	SGOT	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-	Each kit	Yes

			CHEMISTRY ANALYZER	CHEMISTRY ANALYZER		
LC067	SGPT	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC068	TOTAL PROTEIN	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC069	ALBUMIN	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC070	ALP	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
LC071	CALICIUM	SPCHC2NDC ALL2025	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Should be suitable with Mindray BS-240 FULLY AUTOMATIC BIO-CHEMISTRY ANALYZER	Each kit	Yes
DR003	NORMAL SALINE (SOD.CHLORIDE)(NON PVC/DEHP FREE BAG/CLOSED SYSTEM CONTAINER) 0.45 PERCENT 500 ML	SPCHC2NDC ALL2025	infusion	0.45 percent	EACH	Yes
DR009	INJ - ETOMIDATE EMULSION	SPCHC2NDC ALL2025	Injection	2mg/ML/10ML	EACH	Yes
DR012	INJ - FENTANYL	SPCHC2NDC ALL2025	Injection	50MCG/ML/10ML	EACH	Yes

	CITRATE					
DR01 7	INJ - ISOPRENALINE	SPCHC2NDC ALL2025	Injection	2mg/1ml	EACH	Yes
DR02 0	SYP - TRICLOFOS ORAL SOLUTION	SPCHC2NDC ALL2025	SYRUPS	30ML	Each	Yes
DR02 1	SYP - MELATONIN	SPCHC2NDC ALL2025	SYRUPS	60ML	Each	Yes
DR02 4	INJ - PROTAMINE SULPHATE 1 Percent	SPCHC2NDC ALL2025	Injection	5ml	EACH	Yes
DR03 1	PARACETAMO L SUPPOSITORIE S	SPCHC2NDC ALL2025	SUPPOSITORIES	80MG	Each	Yes
DR03 2	PARACETAMO L SUPPOSITORIE S	SPCHC2NDC ALL2025	SUPPOSITORIES	170MG	Each	Yes
DR03 3	INJ - LEVOSIMENDA N (LYOPHILIZED)	SPCHC2NDC ALL2025	Injection	12.5mg	EACH	Yes
DR03 4	RINGER LACTATE	SPCHC2NDC ALL2025	infusion	500ML	EACH	Yes
DR03 6	INJ - SUCCINYL CHOLINE CHLORIDE	SPCHC2NDC ALL2025	Injection	50mg/10ml	EACH	Yes
DR04 0	INJ- SODIUM NITROPRUSSID E (LYOPHILIZED)	SPCHC2NDC ALL2025	Injection	50mg / 5ml	EACH	Yes
DR04 7	INJ.PHENOXY BENZEMINE HYDROCHLORI DE	SPCHC2NDC ALL2025	Injection	50mg/1ml	EACH	Yes
DR04 8	INJ - ALPROSTADIL	SPCHC2NDC ALL2025	Injection	500MCG/1ML	EACH	Yes
DR05 4	SYP - POTASSIUM CHLORIDE ORAL SOLUTION	SPCHC2NDC ALL2025	SYRUPS	100ML	Each	Yes
DR05 5	INJ - HUMAN NORMAL	SPCHC2NDC ALL2025	Injection	5 percent 100 ML	EACH	Yes

	IMMUNOGLOBULIN FOR INTRAVENOUS ADMINISTRATION I.P					
DR056	INJ. THIAMINE HYDROCHLORIDE	SPCHC2NDC ALL2025	Injection	100mg	EACH	Yes
DR057	TAB - THIAMINE	SPCHC2NDC ALL2025	Tablet	100MG	EACH	Yes
DR063	INJ - GENTAMICIN	SPCHC2NDC ALL2025	Injection	80mg/2ml	EACH	Yes
DR067	TAB - AMBRISENTAN	SPCHC2NDC ALL2025	Tablet	5MG	EACH	Yes
DR068	TAB - BOSENTAN	SPCHC2NDC ALL2025	Tablet	62.5MG	EACH	Yes
DR075	TAB - ASPIRIN GASTRO RESISTANT	SPCHC2NDC ALL2025	Tablet	75MG	EACH	Yes
DR077	TAB - CO-TRIMITHOPRIM	SPCHC2NDC ALL2025	Tablet	480MG	EACH	Yes
DR083	RES - SALBUTAMOL RESPIRATOR SOLUTION	SPCHC2NDC ALL2025	RESPULES	2.5ML	EACH	Yes
DR088	TAB - ACETAZOLAMIDE	SPCHC2NDC ALL2025	Tablet	250MG	EACH	Yes
DR089	TAB - METOLAZONE	SPCHC2NDC ALL2025	Tablet	2.5MG	EACH	Yes
DR095	INJ - SUGAMMADEX	SPCHC2NDC ALL2025	Injection	100mg/ml	EACH	Yes
DR122	TAB - CO-TRIMOXAZOLE +SULPHAMETHOXAZOLE	SPCHC2NDC ALL2025	Tablet	160MG+800MG	EACH	Yes
DR123	TAB - ORCIPRENALINE	SPCHC2NDC ALL2025	Tablet	10MG	EACH	Yes
DR387	INJ- CARDIOPLEGIA (POTASSIUM CHLORIDE MAGNESIUM CHLORIDE)	SPCHC2NDC ALL2025	Injection	20 ml	EACH	Yes

	PROCAINE HCL ETC.)					
DR38 8	HTK(HISTIDINE -TRYPTOPHAN- KETOGLUTARA TE-SOLUTION	SPCHC2NDC ALL2025	Injection	1000ML	ML	Yes
DR39 4	ENTEROGERMI NIA RESPULES	SPCHC2NDC ALL2025	RESPULES	2BILLION/5ML	Each	Yes
DR39 5	LEVOSALBUTA MOL MCG+IPRATRO PIUM BROMIDE	SPCHC2NDC ALL2025	SYRUPS	50MG+20MCG	Each	Yes
DR39 7	SYP - RESPERIDONE LIQUID ORAL SOLUTION	SPCHC2NDC ALL2025	SYRUPS	100ML	Each	Yes
DR39 8	SYP - SUCRALFATE AND OXETACAINE SUSPENSION	SPCHC2NDC ALL2025	SYRUPS	200ML	Each	Yes
DR39 9	SYP - CALCIUM CARBONATE MAGNESIUM HYDROXIDE ZINC GLUCONATE VITAMIN D3 SUSPENSION	SPCHC2NDC ALL2025	SYRUPS	200ML	Each	Yes
DR40 2	SYR - FERROUS ASCORBATE +FOLIC ACID +VITAMIN B12 MCG	SPCHC2NDC ALL2025	SYRUPS	100MG+1.5MG+7. 5MCG	Each	Yes
DR40 3	SYP - VITAMIN B 12 WITH L- LYSINE AND LYCOPENE	SPCHC2NDC ALL2025	SYRUPS	100ML	Each	Yes
DR40 4	SYP - HEMATINIC SYRUP OF IRON FOLIC ACID AND VITAMIN B12	SPCHC2NDC ALL2025	SYRUPS	200ML	Each	Yes
DR40 6	SYP - AMBROXOL	SPCHC2NDC ALL2025	SYRUPS	100ML	Each	Yes

	HYDROCHLORIDE					
DR407	SUS - OSELTAMIVIR PHOSPHATE ORAL SUSPENSION	SPCHC2NDC ALL2025	SYRUPS	100ML	Each	Yes
DR408	SYP - MEFENAMIC ACID	SPCHC2NDC ALL2025	SYRUPS	30ML	Each	Yes
DR409	SYP - LEVOFLOXACIN ORAL SOLUTION	SPCHC2NDC ALL2025	SYRUPS	100ML	Each	Yes
DR411	SYP - METRONIDAZOLE	SPCHC2NDC ALL2025	SYRUPS	100ML	EACH	Yes
DR412	SYRUP - PREDNISOLONE	SPCHC2NDC ALL2025	SYRUPS	100ML	EACH	Yes
DR413	SYRUP - LINEZOLID	SPCHC2NDC ALL2025	SYRUPS	100ML	EACH	Yes
DR414	SYRUP - OFLOXACIN	SPCHC2NDC ALL2025	SYRUPS	100ML	EACH	Yes
DR415	SUPPO. DICLOFENAC	SPCHC2NDC ALL2025	SUPPOSITORIES	100MG	EACH	Yes
DR416	SYRUP IBUPROFEN	SPCHC2NDC ALL2025	SYRUPS	100MG/100ML	EACH	Yes
DR418	SUPPO. GLYCERIN	SPCHC2NDC ALL2025	SYRUPS	3G	EACH	Yes
DR419	SALBUTAMOL RESPULE	SPCHC2NDC ALL2025	RESPULES	2.5MG/2.5ML	EACH	Yes
DR420	SYP - PHENOBARBITONE	SPCHC2NDC ALL2025	SYRUPS	100ML	EACH	Yes
DR421	SYP - PHENYTOIN ORAL SUSPENSION	SPCHC2NDC ALL2025	SYRUPS	100ML	EACH	Yes
DR423	SYP - DEXTROMETHORPHAN	SPCHC2NDC ALL2025	SYRUPS	100ML	EACH	Yes
DR424	SALINE NASAL DROPS	SPCHC2NDC ALL2025	DROPS	0.65 percent W/V/20ML	EACH	Yes
DR428	DROP - CHOLECALCIFE	SPCHC2NDC ALL2025	DROPS	400IU/30ML	Each	Yes

	ROL(VITAMIN D3)					
DR429	DROPS - - DILL OIL FENNEL OIL WITH SIMETHICONE	SPCHC2NDC ALL2025	DROPS	15ML	Each	Yes
DR430	DROPS - AMBROXOL HYDROCHLORIDE DROPS	SPCHC2NDC ALL2025	DROPS	15ML	Each	Yes
DR431	DROPS - COLLOIDAL IRON LYSINE FOLIC ACID VITAMIN B12	SPCHC2NDC ALL2025	DROPS	15ML	Each	Yes
DR432	DROPS - ZINC DRY POWDER FOR SUSPENSION 15 ML	SPCHC2NDC ALL2025	DROPS	5.25G/15ML	Each	Yes
DR434	DROP - DIGOXIN PAEDIATRIC SOLUTION	SPCHC2NDC ALL2025	DROPS	50MCG/60ML	Each	Yes
DR435	DROP - FUROSEMIDE ORAL SOLUTION	SPCHC2NDC ALL2025	DROPS	300MG/30ML	Each	Yes
DR436	DROP - MULTIVITAMIN AND MULTIMINARAL	SPCHC2NDC ALL2025	DROPS	30ML	EACH	Yes
DR437	OINT. HEPARIN	SPCHC2NDC ALL2025	OINTMENTS	20G	EACH	Yes
DR439	OINT. FRAMYCETIN SKIN CREAM	SPCHC2NDC ALL2025	OINTMENTS	30G	EACH	Yes
DR440	OINT. CLOTRIMAZOLE	SPCHC2NDC ALL2025	OINTMENTS	50G	EACH	Yes
DR441	OINT. ZINC OXIDE	SPCHC2NDC ALL2025	OINTMENTS	10 percent W/V/15G	EACH	Yes
DR444	CHOLINE SALICYLATE+BENZALKONIUM GEL	SPCHC2NDC ALL2025	GEL	10ML	EACH	Yes

DR44 6	SIMYL MCT OIL	SPCHC2NDC ALL2025	OIL	100ML	EACH	Yes
DR44 9	OINT - BENZALKONIUM CHLORIDE AND ZINC OXIDE	SPCHC2NDC ALL2025	OINTMENT	20G	EACH	Yes
DR45 4	TAB - PREDNISOLONE DISPERSIBLE	SPCHC2NDC ALL2025	Tablet	10MG	EACH	Yes
DR45 5	TAB - PREDNISOLONE DISPERSIBLE	SPCHC2NDC ALL2025	Tablet	20MG	EACH	Yes
DR46 0	TAB - ATORVASTATIN +FENOFIBRATE	SPCHC2NDC ALL2025	Tablet	10MG+40MG	EACH	Yes
DR46 6	TAB - FRUSEMIDE AND SPIRONOLACTONE	SPCHC2NDC ALL2025	Tablet	20MG+40MG	EACH	Yes
DR46 7	TAB - FRUSIMIDE	SPCHC2NDC ALL2025	Tablet	40MG	EACH	Yes
DR46 8	TAB - HYDROCHLOR OTHIAZIDE	SPCHC2NDC ALL2025	Tablet	25MG	EACH	Yes
DR46 9	TAB - HYDROCHLOR OTHIAZIDE	SPCHC2NDC ALL2025	Tablet	12.5MG	EACH	Yes
DR47 5	TAB - METHYLCOBALAMIN	SPCHC2NDC ALL2025	Tablet	500MG	EACH	Yes
DR47 6	TAB - METOLAZONE	SPCHC2NDC ALL2025	Tablet	5MG	EACH	Yes
DR47 7	TAB - METRONIDAZOLE	SPCHC2NDC ALL2025	Tablet	400MG	EACH	Yes
DR47 8	TAB - MYCOPHENOLATE MOFETIL	SPCHC2NDC ALL2025	Tablet	250MG	EACH	Yes
DR48 5	TAB - TORSEMIDE + SPIRONOLACTONE	SPCHC2NDC ALL2025	Tablet	5MG+25MG	EACH	Yes
DR48	TAB -	SPCHC2NDC	Tablet	10MG+50MG	EACH	Yes

6	TORSEMIDE + SPIRONOLACTONE	ALL2025				
DR487	TAB - SODIUM BICARBONATE	SPCHC2NDC ALL2025	Tablet	500MG	EACH	Yes
DR488	TAB - SPIRONOLACTONE	SPCHC2NDC ALL2025	Tablet	25MG	EACH	Yes
DR493	TAB.ETHAMSYLATE	SPCHC2NDC ALL2025	Tablet	0.5MG	EACH	Yes
DR496	TAB - L-ORNITHINE L-ASPARTATE	SPCHC2NDC ALL2025	Tablet	500MG	EACH	Yes
DR497	TAB.MULTIVITAMINE AND MINERALS	SPCHC2NDC ALL2025	Capsules	Vitamin A 5000IU, Vitamin D3 400 IU, Vitamin E 15mg, Vitamin B12 7.5mcg, Vitamin B2 10mg, Vitamin B6 2mg, Vitamin C 75 mg, Vitamin B5 10 mg, Vitamin B1 10 mg, Niacinamide 50 mg, magnesium 18 mg, copper 0.5 mg, Manganese 0.9 mg, Zinc 22 mg, Selenium 50 mcg, Folic acid 1mg, biotin 150 mcg, iodine 150.	EACH	Yes
DR500	TAB - CALCIUM CITRATE +VITAMIN D3 +MAGNESIUM +ZINC	SPCHC2NDC ALL2025	Tablet	1000MG+200MG+100MG	EACH	Yes
DR503	TAB - TACROLIMUS	SPCHC2NDC ALL2025	Tablet	2MG	EACH	Yes
DR504	TAB - TACROLIMUS	SPCHC2NDC ALL2025	Tablet	1MG	EACH	Yes
DR508	TAB - FLECAINIDE	SPCHC2NDC ALL2025	Tablet	50MG	EACH	Yes
DR509	TAB - FERROUS FUMARATE	SPCHC2NDC ALL2025	Tablet	152MG+1500MCG	EACH	Yes

	AND FOLIC ACID					
DR510	TAB - FERROUS FUMARATE and FOLIC ACID and ZINC SULPHATE	SPCHC2NDC ALL2025	Tablet	152MG+750MCG+61.8MG	EACH	Yes
DR514	TAB - ESCITALOPRAM OXALATE5 and CLONAZEPAM	SPCHC2NDC ALL2025	Tablet	5MG+0.5MG	EACH	Yes
DR515	TAB - TRIMETHOPRIME+SULPHAMETHOXAZOLE	SPCHC2NDC ALL2025	Tablet	80MG+400MG	EACH	Yes
DR516	TAB - TRIMETHOPRIME+SULPHAMETHOXAZOLE	SPCHC2NDC ALL2025	Tablet	160MG+80MG	EACH	Yes
DR517	TAB - ENALAPRIL MALEATE	SPCHC2NDC ALL2025	Tablet	2.5MG	EACH	Yes
DR523	TAB - WARFARIN	SPCHC2NDC ALL2025	Tablet	4MG	EACH	Yes
DR524	TAB - CYCLOSPORIN	SPCHC2NDC ALL2025	Tablet	50MG	EACH	Yes
DR528	TAB - LOPERAMIDE	SPCHC2NDC ALL2025	Tablet	5MG	EACH	Yes
DR529	TAB - COMBIPACK OF AMBRISANTAN AND TADALAFIL	SPCHC2NDC ALL2025	Tablet	10 Ambbrisentan Tablets IP and 10 Tadalafil Tablets IP A) Ambbrisentan Tablets IP 5 mg - Ambbrisentan IP 5 mg, B) Tadalafil Tablet IP 20 mg - Tablet IP 20 mg	EACH	Yes
DR530	TAB - DILTIAZEM HYDROCHLORIDE(CONVENTIONAL RELEASE)	SPCHC2NDC ALL2025	Tablet	30MG	EACH	Yes
DR531	TAB - ASPIRIN GASTRO	SPCHC2NDC ALL2025	Tablet	325MG	EACH	Yes

	RESISTANT					
DR53 7	TAB - FRUSELAC AND SPIRINOLACTO NE	SPCHC2NDC ALL2025	Tablet	25MG+50MG	EACH	Yes
DR53 8	TAB - IVABRADINE	SPCHC2NDC ALL2025	Tablet	2.5MG	EACH	Yes
DR53 9	TAB. CLINDAMYCIN	SPCHC2NDC ALL2025	Tablet	300MG	EACH	Yes
DR54 3	TAB - PENICILLIN G POTASSIUM	SPCHC2NDC ALL2025	Tablet	40000 UNITS	EACH	Yes
DR54 7	INJ - AMINOPHYLLI NE	SPCHC2NDC ALL2025	Injection	25mg/ml 10m	EACH	Yes
DR54 9	INJ - BASILIXIMAB /IV INFUSION	SPCHC2NDC ALL2025	Injection	20mg/5ML	EACH	Yes
DR55 0	INJ - CALCIUM GLUCONATE	SPCHC2NDC ALL2025	Injection	10 percent , 10ml	EACH	Yes
DR55 4	INJ - DEXAMETHAS ONE SODIUM PHOSPHATE	SPCHC2NDC ALL2025	Injection	4mg/2ml	EACH	Yes
DR55 8	INJ.FENTANYL CITRATE	SPCHC2NDC ALL2025	Injection	50mcg/ml /2ml	EACH	Yes
DR55 9	INJ - FRUSEMIDE	SPCHC2NDC ALL2025	Injection	10mg/2ml	EACH	Yes
DR56 1	INJ - HALOPERIDOL DECONATE	SPCHC2NDC ALL2025	Injection	50mg/ml	EACH	Yes
DR56 2	INJ - HYDROCORTIS ONE SUCCINATE	SPCHC2NDC ALL2025	Injection	100mg/VIAL	EACH	Yes
DR56 6	INJ.FILGRASTI M PFS RECOMBINENT HUMAN GRANULOCYTE COLONY STUMULATING FACTOR (RHU G-CSF)	SPCHC2NDC ALL2025	Injection	300mcg	EACH	Yes

DR56 7	INJ.LORAZEPAM	SPCHC2NDC ALL2025	Injection	2mg/ml	EACH	Yes
DR56 8	INJ.ANTI HUMAN THYMOCYTE IMMUNOGLO BULIN(RABBIT)	SPCHC2NDC ALL2025	Injection	5mg/ml	EACH	Yes
DR56 9	INJ.SODIUM VALPROATE	SPCHC2NDC ALL2025	Injection	500mg/5ml	EACH	Yes
DR57 2	INJ - GANCICLOVIR	SPCHC2NDC ALL2025	Injection	500mg	EACH	Yes
DR57 5	INJ - KETAMINE HYDROCHLORI DE	SPCHC2NDC ALL2025	Injection	250mg/5ml	EACH	Yes
DR57 6	INJ - LIGNOCAINE HYDROCHLORI DE	SPCHC2NDC ALL2025	Injection	2 percent 30ml	EACH	Yes
DR57 8	INJ - LIGNOCAINE HYDROCHLORI DE	SPCHC2NDC ALL2025	Injection	2 percent (50ml)	EACH	Yes
DR57 9	INJ - MAGNESIUM SULPHATE	SPCHC2NDC ALL2025	Injection	50 percent w/v	EACH	Yes
DR58 0	INJ - PHYTOMENAD IONE (VIT K)	SPCHC2NDC ALL2025	Injection	10mg/1ml	EACH	Yes
DR58 2	INJ - METOCLOPRA MIDE HYDROCHLORI DE	SPCHC2NDC ALL2025	Injection	5mg/ml	EACH	Yes
DR58 4	INJ - NEOSTIGMINE +METHYLSULP HATE	SPCHC2NDC ALL2025	Injection	2.5mg/5ml	EACH	Yes
DR58 8	THIAMINE(VIT AMIN B1) + VITAMIN B6 (PYRIDOXINE) + CYANOCOBAL AMIN + VITAMIN B2 + NICOTINAMID	SPCHC2NDC ALL2025	Injection	100 mg+100 mg+1000 mcg+5 mg+100 mg+50 mg	EACH	Yes

	E + D-PANTHENOL					
DR589	INJ - PHENYTOIN SODIUM	SPCHC2NDC ALL2025	Injection	50mg/2 ml.	EACH	Yes
DR592	INJ - POLYMXIN - B(LYOPHILISED)	SPCHC2NDC ALL2025	Injection	5,00,000 Units	EACH	Yes
DR593	INJ - POTASSIUM CHLORIDE	SPCHC2NDC ALL2025	Injection	150MG/10ml	EACH	Yes
DR594	INJ - RITUXIMAB	SPCHC2NDC ALL2025	Injection	500mg	EACH	Yes
DR595	INJ.ROCURONIUM BROMIDE	SPCHC2NDC ALL2025	Injection	50mg/5ml	EACH	Yes
DR596	INJ - SODIUM BICARBONATE	SPCHC2NDC ALL2025	Injection	7.5 percent 10ml	EACH	Yes
DR598	INJ - TORSEMIDE	SPCHC2NDC ALL2025	Injection	10mg / ml	EACH	Yes
DR600	INJ - ATROPINE SULPHATE	SPCHC2NDC ALL2025	Injection	0.6mg/ml	EACH	Yes
DR606	INJ - AMPHOTERICI N-B	SPCHC2NDC ALL2025	Injection	50mg	EACH	Yes
DR607	INJ - HYOSCINE BUTYLBROMID E	SPCHC2NDC ALL2025	Injection	20mg/1ml	EACH	Yes
DR608	INJ - 10 Percent AMINO ACID SOLUTION FOR PARENTERAL NUTRITION OF INFANTS	SPCHC2NDC ALL2025	Injection	100ml	EACH	Yes
DR611	FIBRIN GLUE WITH SYNTHETIC APROTININ	SPCHC2NDC ALL2025	Injection	4ml	EACH	Yes
DR612	FIBRIN GLUE WITH SYNTHETIC APROTININ	SPCHC2NDC ALL2025	Injection	2ml	EACH	Yes
DR613	HEMOSTATIC MATRIX WITH THROMBIN 5	SPCHC2NDC ALL2025	Injection	5ml	EACH	Yes

	ML.					
DR61 4	SEALANT USED WHICH HAS A SYNTHETIC MEDIA - 4ML	SPCHC2NDC ALL2025	Injection	4ml	EACH	Yes
DR61 5	INJ - SILDENAFIL CITRATE	SPCHC2NDC ALL2025	Injection	10mg/12.5ml	EACH	Yes
DR61 7	INJ - METPROLOL TARTRATE	SPCHC2NDC ALL2025	Injection	1mg / ml	EACH	Yes
DR61 8	INJ.REMIFENT ANIL	SPCHC2NDC ALL2025	Injection	2MG/ML	EACH	Yes
DR61 9	RADIO OPAGUE LOW OSMOLAR CONTRAST MEDIA (IOHEXOL)50 ML	SPCHC2NDC ALL2025	Injection	350 Mg 50ml	EACH	Yes
DR62 0	RADIO OPAGUE CONTRAST LOW OSMOLAR MEDIA (IOHEXOL)100 ML	SPCHC2NDC ALL2025	Injection	350 Mg 100ml	EACH	Yes
DR62 1	RADIO OPAGUE ISO OSMOLAR CONTRAST MEDIA (IODIXANOL)50 ML	SPCHC2NDC ALL2025	Injection	320MG/50ML	EACH	Yes
DR62 2	RADIO OPAGUE ISO OSMOLAR CONTRAST MEDIA (IODIXANOL)100 ML	SPCHC2NDC ALL2025	Injection	320MG/100ML	EACH	Yes
DR62 3	INJ.PHENOBARBITONE	SPCHC2NDC ALL2025	Injection	200MG/ML	EACH	Yes
DR62 5	HYDROGEN PEROXIDE + SILVER NITRATE	SPCHC2NDC ALL2025	Solution	5LTR	EACH	Yes

	SOLUTION					
DR62 7	FLUCONAZOLE	SPCHC2NDC ALL2025	infusion	2mg/ml (100ml)	EACH	Yes
DR62 9	HYDROGEN PEROXIDE	SPCHC2NDC ALL2025	Solution	100ML	EACH	Yes
DR63 1	LIQUID PARAFFIN SOL	SPCHC2NDC ALL2025	infusion	100ML	EACH	Yes
DR63 4	NORMAL SALINE (SOD. CHLORIDE) (FFS) 3 Percent	SPCHC2NDC ALL2025	IVF	0.03 PERCENT	100ml	Yes
DR63 5	NORMAL SALINE(SODIU M CHLORIDE)500 ML(STERIDRIP)	SPCHC2NDC ALL2025	infusion	500ML	EACH	Yes
DR63 7	NORMAL SALINE 0.9 Percent SODIUM CHLORIDE 500ML BAG FOR INJECTION USP	SPCHC2NDC ALL2025	infusion	0.009 PERCENT	500ML	Yes
DR63 9	PERITONEAL DIALYSIS SOLUTION 1.5 Percent(SPCHC2NDC ALL2025	infusion	2000ML	EACH	Yes
DR64 3	STRUMEN MULTIZYME-I INSTRUMENT CLEANER	SPCHC2NDC ALL2025	Solution	1000ML	EACH	Yes
SR040	PICC LINE 22G 8CM	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR054	LEADER FLEX CATHETER 18G	SPCHC2NDC ALL2025	with out dilator with guide wire	with out dilator with guide wire	EACH	Yes
SR055	LEADER FLEX CATHETER 20G	SPCHC2NDC ALL2025	with out dilator with guide wire	with out dilator with guide wire	EACH	Yes
SR056	LEADER FLEX CATHETER 22G	SPCHC2NDC ALL2025	with out dilator with guide wire	with out dilator with guide wire	EACH	Yes

SR058	HEAT MOISTURE EXCHANGER- PAED	SPCHC2NDC ALL2025	Hme with hepa bvf (paed)dead space 10-20 m.HME FILTER (Adult) for Anaesthesia Machine, Transparent housing with Luer lock sampling port, Should be made of material to provide high degree of heat and moisture exchange	Hme with hepa bvf (paed)dead space 10-20 m.HME FILTER (Adult) for Anaesthesia Machine, Transparent housing with Luer lock sampling port, Should be made of material to provide high degree of heat and moisture exchange	EACH	Yes
SR122	PRESSURE TRANSDUCER- SINGLE PRESSURE WITH FIXATOR DEVICE	SPCHC2NDC ALL2025	controlled squeeze and snap tab completely transparent for ease of priming and debubbling available with flushing of 3cc/hr with flush easy zeroing(edward)	controlled squeeze and snap tab completely transparent for ease of priming and debubbling available with flushing of 3cc/hr with flush easy zeroing(edward)	EACH	Yes
SR161	GLIDE CATHETER ALL SIZES	SPCHC2NDC ALL2025	DIAGNOSTIC CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR208	HEART LUNG PACK NEONATAL	SPCHC2NDC ALL2025	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection)	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection)	Each	Yes

SR209	HEART LUNG PACK PEDIATRIC	SPCHC2NDC ALL2025	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection)	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection)	Each	Yes
SR210	HEART LUNG PACK SEMI ADULT	SPCHC2NDC ALL2025	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection).	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection).	Each	Yes
SR211	HEART LUNG PACK ADULT	SPCHC2NDC ALL2025	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection)	Kink Resistant, Durability, Dehp Free Pump Head With Occlusion Line (1/4Y Connector), Arterial Line With Y Connection With 2Nd Pummp Head With 1/4 Leur Lock Connection)	Each	Yes
SR222	PVC TUBING 3/16	SPCHC2NDC ALL2025	Kink Resistant, DEHP Free, ISO Approved	Kink Resistant, DEHP Free, ISO Approved	Each	Yes
SR223	PVC TUBING 1/4	SPCHC2NDC ALL2025	Kink Resistant, DEHP Free, ISO Approved	Kink Resistant, DEHP Free, ISO Approved	Each	Yes
SR224	PVC TUBING 3/8	SPCHC2NDC ALL2025	Kink Resistant, DEHP Free, ISO Approved	Kink Resistant, DEHP Free, ISO Approved	Each	Yes
SR225	PVC TUBING 1/2	SPCHC2NDC ALL2025	Kink Resistant, DEHP Free, ISO Approved	Kink Resistant, DEHP Free, ISO Approved	Each	Yes

SR230	ARTERIOTOMY 2MM 1.3	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR231	ARTERIOTOMY 3MM 1.3	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR232	ARTERIOTOMY 2MM 2.63	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR233	ARTERIOTOMY 3MM 2.63	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR234	ARTERIOTOMY 4MM 2.63	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR235	ARTERIOTOMY 5MM 2.63	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR236	ARTERIOTOMY 6MM 2.63	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR237	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 12FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR238	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 14 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR239	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 16 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR240	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 18 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR241	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 20 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR242	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 22 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR243	MALLEABLE SINGLE STAGE	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant	US FDA Approved, kink-resistant	Each	Yes

	VENOUS CANNULA SIZE 24 FR		wirewound bodies with depth markings	wirewound bodies with depth markings		
SR244	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 26 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR245	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 28 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR246	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 30 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR247	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 32 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR248	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 34 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR249	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 36 FR	SPCHC2NDC ALL2025	US FDA Approved, kink-resistant wirewound bodies with depth markings	US FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR250	MALLEABLE SINGLE STAGE VENOUS CANNULA SIZE 40 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR251	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 12FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR252	SINGLE STAGE VENOUS CANNULA WITH RIGHT	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth	USFDA Approved, kink-resistant wirewound bodies with depth	Each	Yes

	ANGLE METAL TIP 14 FR		markings	markings		
SR253	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 16 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR254	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 18 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR255	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 20 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR256	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 22 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR257	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 24 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR258	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 26 FR	SPCHC2NDC ALL2025	FDA Approved, kink-resistant wirewound bodies with depth markings	FDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR259	SINGLE STAGE VENOUS CANNULA WITH RIGHT ANGLE METAL TIP 28 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth markings	USFDA Approved, kink-resistant wirewound bodies with depth markings	Each	Yes
SR260	SINGLE STAGE VENOUS CANNULA WITH RIGHT	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with depth	USFDA Approved, kink-resistant wirewound bodies with depth	Each	Yes

	ANGLE METAL TIP 31 FR		markings	markings		
SR261	AORTIC CANNULA 6 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	Each	Yes
SR262	AORTIC CANNULA 8 FR	SPCHC2NDC ALL2025	USFDA Approved, Kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	USFDA Approved, Kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	Each	Yes
SR263	AORTIC CANNULA 10 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	Each	Yes
SR264	AORTIC CANNULA 12 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	Each	Yes
SR265	AORTIC CANNULA 14 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system	Each	Yes

			introducer system and depth markings.	and depth markings.		
SR266	AORTIC CANNULA 16 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	USFDA Approved, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.	Each	Yes
SR267	AORTIC CANNULA 18 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	Each	Yes
SR268	AORTIC CANNULA 20 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	Each	Yes
SR269	AORTIC CANNULA 22 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	Each	Yes

SR270	AORTIC CANNULA 24 FR	SPCHC2NDC ALL2025	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	USFDA Approved, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring	Each	Yes
SR271	FEMORAL ARTERIAL CANNULA 8 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes
SR272	FEMORAL ARTERIAL CANNULA 10 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes

SR273	FEMORAL ARTERIAL CANNULA 12 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes
SR274	FEMORAL ARTERIAL CANNULA 14 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes
SR275	FEMORAL ARTERIAL CANNULA 15 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes

SR276	FEMORAL ARTERIAL CANNULA 17 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes
SR277	FEMORAL ARTERIAL CANNULA 19 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes
SR278	FEMORAL ARTERIAL CANNULA 21 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes

SR279	FEMORAL ARTERIAL CANNULA 23 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes
SR280	FEMORAL ARTERIAL CANNULA 25 FR	SPCHC2NDC ALL2025	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	USFDA Approved, flexible, kink- resistant, maximum flow rates. eases insertion with a reinforced non- step transition zone, A silicone friction-fit cap and non-phthalate PVC introducer	Each	Yes
SR281	FEMORAL VENOUS CANNULA 8 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR282	FEMORAL VENOUS CANNULA 10 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR283	FEMORAL VENOUS CANNULA 12 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR284	FEMORAL VENOUS CANNULA 14 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR285	FEMORAL VENOUS CANNULA 15 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR286	FEMORAL VENOUS CANNULA 17 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes

SR287	FEMORAL VENOUS CANNULA 19 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR288	FEMORAL VENOUS CANNULA 21 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR289	FEMORAL VENOUS CANNULA 23 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR290	FEMORAL VENOUS CANNULA 25 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR291	FEMORAL VENOUS CANNULA 27 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR292	FEMORAL VENOUS CANNULA 29 FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR293	PEDIATRIC INSERTION KITS	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR294	ADULT INSERTION KITS	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR295	AORTIC ROOT CANNULAE WITH VENT LINE - ALL SIZES	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each Size	Yes
SR296	SILICONE RCSP CANNULAE WITH AUTO- INFLATE CUF ALL SIZES	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each Size	Yes
SR309	HFNC NASAL CANNULAS SIZE- SMALL RED	SPCHC2NDC ALL2025	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	EACH	Yes
SR310	HFNC NASAL CANNULAS SIZE -MEDIUM YELLOW	SPCHC2NDC ALL2025	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	EACH	Yes

SR311	HFNC NASAL CANNULAS SIZE -LARGE PURPLE	SPCHC2NDC ALL2025	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	EACH	Yes
SR312	HFNC NASAL CANNULAS SIZE-EXTRA LARGE GREEN	SPCHC2NDC ALL2025	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	COMPATIBLE TO FISHER AND PAYKAL AIRVO 2	EACH	Yes
SR401	CAUTRY LONG TIP	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR402	CAUTRY FINE TIP	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR456	SUTURE CV-4	SPCHC2NDC ALL2025	TT-17 CV-4,3/8CIRCLE ,17M M,91CM-36INCHESNON ABSORBABLE SUTURE MONOFILAMENT ePTFE	TT-17 CV-4,3/8CIRCLE ,17M M,91CM-36INCHESNON ABSORBABLE SUTURE MONOFILAMENT ePTFE	EACH	Yes
SR457	SUTURE CV-5	SPCHC2NDC ALL2025	TTC-13CV-5,3/8CIRCLE ,13M M,91CM-36INCHESNON ABSORBABLE SUTURE MONOFILAMENT ePTFE	TTC-13CV-5,3/8CIRCLE ,13M M,91CM-36INCHESNON ABSORBABLE SUTURE MONOFILAMENT ePTFE	EACH	Yes
SR458	PERICARDIAL MEMBRANE 0.1MM	SPCHC2NDC ALL2025	PERICARDIAL MEMBRANE CARDIO VASCULAR PATCH6.0CMX12.0 CMX0.1MM	PERICARDIAL MEMBRANE CARDIO VASCULAR PATCH6.0CMX12.0 CMX0.1MM	EACH	Yes
SR459	PERICARDIAL MEMBRANE 0.4MM	SPCHC2NDC ALL2025	CARDIOVASCULAR PATCH 3.0CMX6.0CMX0.4 MM	CARDIOVASCULAR PATCH 3.0CMX6.0CMX0.4 MM	EACH	Yes
SR495	PTFE HEPARIN BONDED VASCULAR GRAFT NON RINGED EXGRAFT	SPCHC2NDC ALL2025	3mm to 22mm-25lenght	3mm to 22mm-25lenght	EACH	Yes
SR513	4F/5F	SPCHC2NDC	BALLOON	DCGI APPROVAL	EACH	Yes

	EMBOLECTOMY FOGARTY CATHETER	ALL2025	CATHETER			
SR514	BALLOON IN BALLOON (BIB) STENT PLACEMENT CATHETER	SPCHC2NDC ALL2025	BALLOON CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR517	TYSHAK MINI BALLOONS FOR VALVULOPLASTY (3F 4F 5F) DIAMETER 6MM TO 12MM LENGTH 2CM TO 3CM	SPCHC2NDC ALL2025	BALLOON CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR519	PERIPHERAL ANGIO PLASTY BALLOONS ALL SIZES DIAMETER 6MM TO 25MM LENGTH 2CM TO 4CM	SPCHC2NDC ALL2025	BALLOON CATHETER	US FDA APPROVED	EACH	Yes
SR520	PERIPHERAL ANGIO PLASTY BALLOONS ALL SIZES DIAMETER 6MM TO 25MM LENGTH 2CM TO 4CM	SPCHC2NDC ALL2025	BALLOON CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR526	EMBOLIZATION COILS ALL SIZES	SPCHC2NDC ALL2025	COILS	EUROPEAN CE APPROVAL	EACH	Yes
SR529	VASCULAR PLUGS I AND II ALL SIZES	SPCHC2NDC ALL2025	DEVICE	US FDA APPROVED	EACH	Yes
SR539	VASCULAR CLOSURE DEVICES OBTURATOR ALL SIZES	SPCHC2NDC ALL2025	DEVICE	EUROPEAN CE APPROVAL	EACH	Yes
SR546	CHECKFLOW	SPCHC2NDC	DEVICE DELIVERY	EUROPEAN CE	EACH	Yes

	PERFORMER GUIDING SHEATHS FOR DEVICE CLOSURE ALL SIZES (5F TO 16F)	ALL2025	SHEATH	APPROVAL		
SR549	MPA /COURNARD DIAGNOSTIC CATHETER ALL SIZES	SPCHC2NDC ALL2025	DIAGNOSTIC CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR550	CENTIMETER MARKER PIGTAIL CATHETER	SPCHC2NDC ALL2025	DIAGNOSTIC CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR553	0.018/0.025/0. 032/0.035X15 0CM J TIP/S TIP HYDROPHILIC GW	SPCHC2NDC ALL2025	GUIDE WIRE	US FDA APPROVED	EACH	Yes
SR554	0.018/0.025/0. 032/0.035X15 0CM J TIP/S TIP HYDROPHILIC GW	SPCHC2NDC ALL2025	GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR556	0.018/0.025/0. 032/0.035X26 0CM J TIP/STIP HYDROPHILIC GW	SPCHC2NDC ALL2025	GUIDE WIRE	US FDA APPROVED	EACH	Yes
SR559	0.035X260CM (AMPLATZ) EX SUPPORT GW WITH 3CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	US FDA APPROVED	EACH	Yes
SR560	0.035X260CM AMPLATZ EX SUPPORT GW WITH 3CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR561	0.035X260CM AMPLATZ EX SUPPORT GW WITH 1CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	US FDA APPROVED	EACH	Yes

SR562	0.035X260CM AMPLATZ EX SUPPORT GW WITH 1CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR563	0.035X260CM AMPLATZ ULTRASTIFF GW WITH 3CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	US FDA APPROVED	EACH	Yes
SR564	0.035X260CM AMPLATZ ULTRASTIFF GW WITH 3CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR565	0.035X260CM AMPLATZ ULTRASTIFF GW WITH 1CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	US FDA APPROVED	EACH	Yes
SR566	0.035X260CM AMPLATZ ULTRASTIFF GW WITH 1CM FLOPPY TIP	SPCHC2NDC ALL2025	GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR567	0.035X260CM LUNDERQUIST GUIDE WIRE	SPCHC2NDC ALL2025	GUIDE WIRE	US FDA APPROVED	EACH	Yes
SR569	0.035X260CM SAFARI GUIDE WIRES FOR TAVR	SPCHC2NDC ALL2025	GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR570	INTRA CRANIAL SUPPORT CATHETER	SPCHC2NDC ALL2025	GUIDING CATHER	US FDA APPROVED	EACH	Yes
SR571	MOTHER AND CHILD GUIDING CATHETER	SPCHC2NDC ALL2025	GUIDING CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR572	RENAL GUIDING CATHETERS ALL SIZES	SPCHC2NDC ALL2025	GUIDING CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR573	CRT - PACE MAKER WITH ALL ACCESSARIES	SPCHC2NDC ALL2025	PACE MAKER	US FDA/CE/DCGI	EACH	Yes

SR574	CRT - D-COMBO DEVICE WITH ALL ACCESSORIES	SPCHC2NDC ALL2025	PACE MAKER	US FDA/CE/DCGI	EACH	Yes
SR575	PERMANENT PACE MAKER VVI SINGLE CHAMBER WITH ACCESSORIES TINED LEAD/SCREWING LEAD	SPCHC2NDC ALL2025	PACE MAKER	EUROPEAN CE APPROVAL	EACH	Yes
SR576	PERMANENT PACE MAKER VVI SINGLE CHAMBER WITH ACCESSORIES SCREWING LEAD/ TINED LEAD	SPCHC2NDC ALL2025	PACE MAKER	US FDA APPROVED	EACH	Yes
SR577	PERMANENT PACE MAKER ICD - DUAL CHAMBER WITH ACCESSORIES	SPCHC2NDC ALL2025	PACE MAKER	EUROPEAN CE APPROVAL	EACH	Yes
SR578	PERMANENT PACE MAKER ICD - SINGLE CHAMBER WITH ACCESSORIES	SPCHC2NDC ALL2025	PACE MAKER	US FDA APPROVED	EACH	Yes
SR579	PERMANENT PACE MAKER DDD WITH ACCESSORIES	SPCHC2NDC ALL2025	PACE MAKER	EUROPEAN CE APPROVAL	EACH	Yes
SR580	PERMANENT PACE MAKER DDDR WITH ACCESSORIES	SPCHC2NDC ALL2025	PACE MAKER	US FDA APPROVED	EACH	Yes
SR581	CRT - PACE MAKER (PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	US FDA/CE/DCGI	EACH	Yes
SR582	CRT - D-COMBO	SPCHC2NDC ALL2025	PACE MAKER	US FDA/CE/DCGI	EACH	Yes

	DEVICE (PG ONLY)					
SR583	PERMANENT PACE MAKER VVIR SINGLE CHAMBER (PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	EUROPEAN CE APPROVAL	EACH	Yes
SR584	PERMANENT PACE MAKER VVIR SINGLE CHAMBER (PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	US FDA APPROVED	EACH	Yes
SR585	PERMANENT PACE MAKER ICD SINGLECHAMBER - (PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	EUROPEAN CE APPROVAL	EACH	Yes
SR586	PERMANENT PACE MAKER ICD SINGLE CHAMBER - (PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	US FDA APPROVED	EACH	Yes
SR587	PERMANENT PACE MAKER ICD DUAL CHAMBER - (PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	EUROPEAN CE APPROVAL	EACH	Yes
SR588	PERMANENT PACE MAKER DDD-(PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	US FDA APPROVED	EACH	Yes
SR589	PERMANENT PACE MAKER DDDR - (PG ONLY)	SPCHC2NDC ALL2025	PACE MAKER	EUROPEAN CE APPROVAL	EACH	Yes
SR590	PERMANENT PACING VENTRICULAR SCREWING /TINED LEAD	SPCHC2NDC ALL2025	PACE MAKER ACCESSORIES	EUROPEAN CE APPROVAL	EACH	Yes
SR591	PERMANENT PACING VENTRICULAR SCREWING /TINED LEAD	SPCHC2NDC ALL2025	PACE MAKER ACCESSORIES	US FDA APPROVED	EACH	Yes
SR592	EPICARDIAL PACING LEAD	SPCHC2NDC ALL2025	PACE MAKER ACCESSORIES	US FDA APPROVED	EACH	Yes

	ALL SIZES					
SR593	EPICARDIAL PACING LEAD ALL SIZES	SPCHC2NDC ALL2025	PACE MAKER ACCESSORIES	EUROPEAN CE APPROVAL	EACH	Yes
SR594	BIPOLAR PACING LEAD ALL SIZES	SPCHC2NDC ALL2025	PACING ACCESSORIES	AS PER IS/BIS	EACH	Yes
SR595	TEMPORARY PACEMAKER DUAL CHAMBER	SPCHC2NDC ALL2025	PACING ACCESSORIES	EUROPEAN CE APPROVAL	EACH	Yes
SR596	TEMPORARY PACEMAKER SINGLE CHAMBER	SPCHC2NDC ALL2025	PACING ACCESSORIES	EUROPEAN CE APPROVAL	EACH	Yes
SR600	0.014X182CM CHOICE FLOPPU EX SUPPORT GW	SPCHC2NDC ALL2025	PTCA GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR603	0.018X300CM ROAD RUNNER GW	SPCHC2NDC ALL2025	PTCA GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR604	PTCA GUIDE WIRES 0.014/0.018 X300CM	SPCHC2NDC ALL2025	PTCA GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR605	GUIDE WIRE EXTENSION 0.014/0.018	SPCHC2NDC ALL2025	PTCA GUIDE WIRE	EUROPEAN CE APPROVAL	EACH	Yes
SR608	BROCKEN BROUGH TRANS SEPTAL PUNCTURE NEEDLE	SPCHC2NDC ALL2025	PUNCTURE NEEDLE	EUROPEAN CE APPROVAL	EACH	Yes
SR610	RADIAL SHORT SHEATH WITH NEEDLE ALL SIZES 4F TO 8F X 4CM	SPCHC2NDC ALL2025	SHEATH	EUROPEAN CE APPROVAL	EACH	Yes
SR611	HYDROPHILIC COATED INTRODUCER SHEATH KIT RADIAL ALL SIZES	SPCHC2NDC ALL2025	SHEATH	EUROPEAN CE APPROVAL	EACH	Yes
SR612	HYDROPHILIC COATED INTRODUCER	SPCHC2NDC ALL2025	SHEATH	EUROPEAN CE APPROVAL	EACH	Yes

	SHEATH KIT FEMORAL ALL SIZES					
SR616	PEAL AWAY SHEATH FOR PACING LEAD	SPCHC2NDC ALL2025	SHEATH	EUROPEAN CE APPROVAL	EACH	Yes
SR618	SWARTZ BRAIDED INTRODUCER SHEATH	SPCHC2NDC ALL2025	SHEATH	DCGI APPROVAL	EACH	Yes
SR619	LONG GUIDING CATHETER	SPCHC2NDC ALL2025	SHEATH	DCGI APPROVAL	EACH	Yes
SR623	EN SANRE ENDOVASCUL AR SNARE SYSTEM	SPCHC2NDC ALL2025	SNARE CATHETER	EUROPEAN CE APPROVAL	EACH	Yes
SR624	RENAL STENT ALL SIZES	SPCHC2NDC ALL2025	STENT	US FDA APPROVED	EACH	Yes
SR625	RENAL STENT ALL SIZES (HERCULINK)	SPCHC2NDC ALL2025	STENT	EUROPEAN CE APPROVAL	EACH	Yes
SR626	RENAL STENT ALL SIZES (COGENT)	SPCHC2NDC ALL2025	STENT	EUROPEAN CE APPROVAL	EACH	Yes
SR627	BALLOON MOUNTED PERIPHERAL STENTS ALL SIZES (COOK FORMULAE)	SPCHC2NDC ALL2025	STENT	EUROPEAN CE APPROVAL	EACH	Yes
SR629	PERIPHERAL COVERED STENTS SELF EXPANDABLE ALL SIZES	SPCHC2NDC ALL2025	STENT	EUROPEAN CE APPROVAL	EACH	Yes
SR630	PERIPHERAL COVERED STENTS BALLOON EXPANDABLE ALL SIZES	SPCHC2NDC ALL2025	STENT	EUROPEAN CE APPROVAL	EACH	Yes
SR631	PERIPHERAL UN COVERED STENTS SELF EXPANDABLE ALL SIZES	SPCHC2NDC ALL2025	STENT	EUROPEAN CE APPROVAL	EACH	Yes
SR634	COARCTATION	SPCHC2NDC	STENT	US FDA APPROVED	EACH	Yes

	STENT (CPSTENT) COVERED- BALLOON EXPANDABLE ALL SIZES	ALL2025				
SR635	COBALT CHROMIUM PHERIPHARAL STENT UN COVERED L- SIZE ALL SIZES	SPCHC2NDC ALL2025	STENT	DCGI APPROVAL	EACH	Yes
SR636	COBALT CHROMIUM PHERIPHARAL STENT UN COVERED XL- SIZE ALL SIZES	SPCHC2NDC ALL2025	STENT	DCGI APPROVAL	EACH	Yes
SR637	COBALT CHROMIUM PHERIPHARAL STENT COVERED L- SIZE ALL SIZES	SPCHC2NDC ALL2025	STENT	DCGI APPROVAL	EACH	Yes
SR638	COBALT CHROMIUM PHERIPHARAL STENT COVERED XL- SIZE ALL SIZES	SPCHC2NDC ALL2025	STENT	DCGI APPROVAL	EACH	Yes
SR639	COVERED STENT (CARONARY)W ITH PROTECTIVE MESH	SPCHC2NDC ALL2025	STENT	US FDA/CE/DCGI	EACH	Yes
SR643	6F PERCLOSE PROGLIDES	SPCHC2NDC ALL2025	SUTURES CATHETER	FDA APPROAVED	EACH	Yes
SR646	BALLOON MOUNTED ZOTAROLIMUS -ELUTING CORONARY(RI NG) STENT SYSTEM	SPCHC2NDC ALL2025	STENT	FDA APPROAVED	EACH	Yes
SR647	BALLOON MOUNTED ZOTAROLIMUS	SPCHC2NDC ALL2025	STENT	EUROPEAN CE APPROVAL	EACH	Yes

	-ELUTING CORONARY(RING) STENT SYSTEM					
SR648	FLEXOR INTRODUCER SHEATH ALL SIZES	SPCHC2NDC ALL2025	DEVICES DELIVERY SHEATH	FDA APPROAVED	EACH	Yes
SR649	FLEXOR INTRODUCER SHEATH ALL SIZES	SPCHC2NDC ALL2025	DEVICES DELIVERY SHEATH	EUROPEAN CE APPROVAL	EACH	Yes
SR650	BALKINS GUIDING SHEATH 5F-8F	SPCHC2NDC ALL2025	GUIDING SHEATH	EUROPEAN CE APPROVAL	EACH	Yes
SR651	BALKINS GUIDING SHEATH 5F-8F	SPCHC2NDC ALL2025	GUIDING SHEATH	US FDA APPROVED	EACH	Yes
SR654	PTMC BALLOON WITH OR WITHOUT VENT WITH ACCESSARIES	SPCHC2NDC ALL2025	US FDA APPROVED	US FDA APPROVED	EACH	Yes
SR655	PTMC BALLOON WITH OR WITHOUT VENT WITH ACCESSARIES	SPCHC2NDC ALL2025	EUROPEAN CE APPROVAL	EUROPEAN CE APPROVAL	EACH	Yes
SR661	ECMO CIRCUIT NEONATAL	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR662	ECMO CIRCUIT PEDIATRIC	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR663	ECMO CIRCUIT ADULT	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each	Yes
SR668	AORTIC ROOT CANNULAE 18G	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	Each Size	Yes
SR669	THREE STAGE VENOUS CANNULAE 29/29/29FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR670	THREE STAGE VENOUS CANNULAE 36/46FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes

SR671	TWO STAGE VENOUS CANNULAE 28/36FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR672	TWO STAGE VENOUS CANNULAE 32/40FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR673	CARDIOPLEGIA NEEDLE 05FR	SPCHC2NDC ALL2025	Stainless steel needle attached with flexible tubing with female luer	US FDA Approved	EACH	Yes
SR674	CARDIOPLEGIA NEEDLE08FR	SPCHC2NDC ALL2025	Stainless steel needle attached with flexible tubing with female luer	US FDA Approved	EACH	Yes
SR675	AORTIC ROOT CANNULA ALL SIZE	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR676	PERICARDIAL SUMP 20FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR677	INTRA CARDIAC SUMP 12FR,20FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR678	LEFT HEART VENT 10FR,13FR,15F R,16FR,18FR,2 0FR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR679	3/8 BUBBLE DETECTOR	SPCHC2NDC ALL2025	US FDA Approved	US FDA Approved	EACH	Yes
SR691	SUCTION APPAROTERS ELECTRC	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR697	PRESSURE BAG FOR FAST INFUSION-0.5L	SPCHC2NDC ALL2025	Clear-Cuff Pressure Infusor,thick polyurethane clear with extra large squeezing Bulb	Clear-Cuff Pressure Infusor,thick polyurethane clear with extra large squeezing Bulb	EACH	Yes

SR698	PRESSURE BAG FOR FAST INFUSION- 01L	SPCHC2NDC ALL2025	Clear-Cuff Pressure Infusor,thick polyurethane clear with extra large squeezing Bulb	Clear-Cuff Pressure Infusor,thick polyurethane clear with extra large squeezing Bulb	EACH	Yes
SR699	PRESSURE TRANSDUCER-TWIN PRESSURE WITH FIXATOR DEVICE	SPCHC2NDC ALL2025	controlled squeeze and snap tab completely transparent for ease of priming and debubbling available with flushing of 3cc/hr with flush easy zeroing(edward)	controlled squeeze and snap tab completely transparent for ease of priming and debubbling available with flushing of 3cc/hr with flush easy zeroing(edward)	EACH	Yes
SR700	PRESSURE TRANSDUCER-SINGLE PRESSURE WITH FIXATOR DEVICE	SPCHC2NDC ALL2025	Domes Vertical Compatibility with Philips/Universal - Twin Pressure	Domes Vertical Compatibility with Philips/Universal - Twin Pressure	EACH	Yes
SR701	PRESSURE TRANSDUCER-TWIN PRESSURE WITH FIXATOR DEVICE	SPCHC2NDC ALL2025	Domes Vertical Compatibility with Philips/Universal - Twin Pressure	Domes Vertical Compatibility with Philips/Universal - Twin Pressure	EACH	Yes
SR702	NEONATAL BOUGIE	SPCHC2NDC ALL2025	Graduated marking with 40 degrees angles tip for all E.T.Tube sizes	Graduated marking with 40 degrees angles tip for all E.T.Tube sizes	EACH	Yes
SR703	BISPECTRAL INDEX(BIS LEADS)	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR705	CLOSED WOUND SUCTION UNIT - 08FG TO 10FG	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR722	PDS MONOFILAMENT 3.0 CNW 9957	SPCHC2NDC ALL2025	26MM,1/2 CIRCLE,90CM ABSORBABLE SUTURE PDS MONOFILAMENT	26MM,1/2 CIRCLE,90CM ABSORBABLE SUTURE PDS MONOFILAMENT	EACH	Yes

SR727	SYNTH.ABSORBABLE MONOCRYL-4.0	SPCHC2NDC ALL2025	16MM,70CM3/8 CIRCLE REVERSE CUTTING UNDYED MONOFILAMENT ABSORBABLE SURGICAL SUTURE (MONOCRYL)	16MM,70CM3/8 CIRCLE REVERSE CUTTING UNDYED MONOFILAMENT ABSORBABLE SURGICAL SUTURE (MONOCRYL)	EACH	Yes
SR732	SILK 1	SPCHC2NDC ALL2025	1,30MM,76CM1/2 CIRCLE ROUND BODIED NONABSORBALE SURGICAL SUTURE BRAIDED COATED SILK BLACK	1,30MM,76CM1/2 CIRCLE ROUND BODIED NONABSORBALE SURGICAL SUTURE BRAIDED COATED SILK BLACK	EACH	Yes
SR749	STERILE LIGATION CLIP	SPCHC2NDC ALL2025	STERILE LIGATION CLIP (SMALL)	STERILE LIGATION CLIP (SMALL)	EACH	Yes
SR750	STERILE LIGATION CLIP	SPCHC2NDC ALL2025	STERILE LIGATION CLIP (MEDIUM)	STERILE LIGATION CLIP (MEDIUM)	EACH	Yes
SR751	STERILE LIGATION CLIP	SPCHC2NDC ALL2025	STERILE LIGATION CLIP (BIG)	STERILE LIGATION CLIP (BIG)	EACH	Yes
SR752	STERILE OPSITE INCISE SURGICAL DRAPE 34CMX35CM	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR753	STERILE INCISE SURGICAL DRAPE 42CMX45CM	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR756	HEMOSTATIC GELATIN POWDER	SPCHC2NDC ALL2025	ABSORBABLE HEMOSTATIC GELATIN SPONGE POWDER	ABSORBABLE HEMOSTATIC GELATIN SPONGE POWDER	EACH	Yes
SR757	PTFE HEPARIN BONDED VASCULAR GRAFT RINGED EXGRAFT	SPCHC2NDC ALL2025	3mm to 22mm-25length	3mm to 22mm-25length	EACH	Yes
SR758	BOVINE PERICARDIAL PATCH	SPCHC2NDC ALL2025	BOVINE PATCH (4CMX5CM)	BOVINE PATCH (4CMX5CM)	EACH	Yes
SR760	STRETCH VASCULAR GRAFT	SPCHC2NDC ALL2025	3.0MM to 20MM,LENGTH 30CM	3.0MM to 20MM,LENGTH 30CM	EACH	Yes

	STANDARD WALL					
SR761	VASCULAR PROSTHESIS WITH COLLAGEN (DACRON GRAFTS)	SPCHC2NDC ALL2025	4mm to 10mm,length 20cm	4mm to 10mm,length 20cm	EACH	Yes
SR762	VASCULAR PROSTHESIS WITH COLLAGEN (DACRON GRAFTS)	SPCHC2NDC ALL2025	12mm to 30mm,length 50cm	12mm to 30mm,length 50cm	EACH	Yes
SR765	STANDARD ADULT VENTILATOR TUBINGS	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR766	STANDARD PEADTRIC VENTILATOR TUBINGS	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR767	STANDARD NEONATAL VENTILATOR TUBINGS	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR768	DISPOSABLE ENDOSCPIC CAMERA COVERS	SPCHC2NDC ALL2025	2.25MET	2.25MET	EACH	Yes
SR769	NIRS LEADS(NEONATAL ADHESIVE SENSOR)	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR770	NIRS LEADS(PEDIATRIC ADHESIVE SENSOR)	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR777	HYPOALLERGIC PAPER SURGICALADHESIVE TAPE 1INCH	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR778	HYPOALLERGIC PAPER SURGICALADHESIVE TAPE 1/2INCH	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes

SR785	DISPOSABLE PLASTIC BULLDOG CLAMPS STRAIGHT AND ANGLED	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH SHAPE	Yes
SR786	COLORADO MICRO DISSECTION NEEDLE	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR787	DIATHERMY PAD WITH CABLE FOR VALLY LAB/ERBE/MARTIN/REMI	SPCHC2NDC ALL2025	Diathermy Pad with CableFor Vally Lab/ERBE/Martin/Remi	Diathermy Pad with CableFor Vally Lab/ERBE/Martin/Remi	EACH	Yes
SR798	THREE WAY STOP COCK WITH EXTENSION LINE-100CM	SPCHC2NDC ALL2025	Extension line 100 cm with 3way stop cock	Extension line 100 cm with 3way stop cock	EACH	Yes
SR800	ASEPTO SYRINGES DISPOSABLE	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR801	RED RUBBER TUBE SIZE 3,4	SPCHC2NDC ALL2025	Flexible and durable	Flexible and durable	EACH	Yes
SR803	ACT CARTRIDGE HR 402-03	SPCHC2NDC ALL2025	For ACT Machine	For ACT Machine	EACH	Yes
SR804	B.P HANDLE - NO. 3	SPCHC2NDC ALL2025	DCGI/CE/US FDA approval	DCGI/CE/US FDA approval	EACH	Yes
SR805	B.P HANDLE - NO.4	SPCHC2NDC ALL2025	DCGI/CE/US FDA approval	DCGI/CE/US FDA approval	EACH	Yes
SR815	WIRE CUTTER FOR SOFT WIRES WITH T.C TIP,7INCH, TC GOLD	SPCHC2NDC ALL2025	DCGI/CEapproval	DCGI/CEapproval	EACH	Yes
SR816	WIRE TWISTING FORCEPS THICK,7INCH, TC GOLD	SPCHC2NDC ALL2025	DCGI/CE approval	DCGI/CE approval	EACH	Yes

SR817	ARTERIAL CANNULA 20G,22G,24(JE LCO)	SPCHC2NDC ALL2025	Iv catheter radiopaque,without side port As per Standard specifications	Iv catheter radiopaque,without side port As per Standard specifications	EACH	Yes
SR822	HEART VALVE AORTIC (TISSUE) ALL SIZES	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR825	HEART VALVE MITRAL (TISSUE) ALL SIZES	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR827	STERNAL BANDS WITH GUN	SPCHC2NDC ALL2025	As per Standard specifications , 1/2 circle	As per Standard specifications , 1/2 circle	EACH	Yes
SR828	ISOLATION BAGS (STERI DRAP)	SPCHC2NDC ALL2025	Dual draw-string closure opens and closes easily and smoothly without constricting body parts or tissue 50cm x 50cm 20 Inchx20 Inch	Dual draw-string closure opens and closes easily and smoothly without constricting body parts or tissue 50cm x 50cm 20 Inchx20 Inch	EACH	Yes
SR829	PVC MEASURING CYLINDERS 1000 ML WITH CORK	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR830	TEMPERATURE PROBES (NEONATAL,A DULT)	SPCHC2NDC ALL2025	compatability with philips MX500 Patient Monitor	compatability with philips MX500 Patient Monitor	EACH SIZE	Yes
SR831	PRESSURE TRANSDUCER CABLES	SPCHC2NDC ALL2025	compatability with edward	compatability with edward	EACH	Yes
SR832	PRESSURE TRANSDUCER CABLES	SPCHC2NDC ALL2025	compatability with abbot	compatability with abbot	EACH	Yes
SR833	AMSORB PLUS(ADVANCED SODA LIME)	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR834	SUCTION OPERATOR VACCUM	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes

SR836	BETADINE COATED POWDER FREE GLOVE 6.0 TO 7.5	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR837	BOVINE DISPOSABLE STERILE CAUTERY SCRATCH	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH SIZE	Yes
SR838	ENDOBROCHIAL BLOCKER TUBE ADULT	SPCHC2NDC ALL2025	With Auto inflator, Outer diameter 3.0mm / Length 600mm, small spindle shaped cuff, US FDA approved.	With Auto inflator, Outer diameter 3.0mm / Length 600mm, small spindle shaped cuff, US FDA approved.	EACH	Yes
SR839	PEDIATRIC ENDOBROCHIAL BLOCKER SET	SPCHC2NDC ALL2025	with custom-made endotracheal tube connectors having fibreoptic bronchoscopy port, CE(European)/FDA /DCGI	with custom-made endotracheal tube connectors having fibreoptic bronchoscopy port, CE(European)/FDA /DCGI	EACH	Yes
SR840	UMBILICAL CATHETER - 2.5F	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR841	UMBILICAL CATHETER - 3.5F	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR842	UMBILICAL CATHETER - 4F	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR843	UMBILICAL CATHETER - DOUBLE LUMEN 4F	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR844	UMBILICAL CATHETER - DOUBLE LUMEN 5F	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR859	BUBBLE CPAP HEADGEAR 35-40CM	SPCHC2NDC ALL2025	COMPATIBLE TO FISHER AND PAYKAL BUBBLE CPAP SYSTEM	COMPATIBLE TO FISHER AND PAYKAL BUBBLE CPAP SYSTEM	EACH	Yes

SR860	BUBBLE CPAP HEADGEAR 40-45CM	SPCHC2NDC ALL2025	COMPATIBLE TO FISHER AND PAYKAL BUBBLE CPAP SYSTEM	COMPATIBLE TO FISHER AND PAYKAL BUBBLE CPAP SYSTEM	EACH	Yes
SR871	HUMIDIFIER CIRCUITS	SPCHC2NDC ALL2025	COMPATIBLE TO FISHER AND PAYKAL	COMPATIBLE TO FISHER AND PAYKAL	EACH	Yes
SR875	TRACHEOSTOMY TUBES - UN-CUFFED 3.0, 3.5, 4.0,4.5, 5.0, 5.5, 6.0,6.5, 7.0, 7.5	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR876	TRACHEOSTOMY TUBES - CUFFED 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR877	THERMOVENT PEDIATRIC	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR878	THERMOVENT ADULT	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR883	STETHOSCOPE S PEDIATRIC	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR885	MICROVACCUTAINERS EDTA, SERUM	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR890	UMBILICAL VEIN DILATOR	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR892	HANDRUB HOLDER	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR895	DRAIN BOTTLES SYSTEM WITH	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR896	DRAIN TUBINGS	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR899	IV STANDS	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR902	SPONGE HOLDER	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR903	CHITTLE FORECEPS WITH JAR	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes

SR904	BED SCREEN	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR905	IN LINE NEBULIZER	SPCHC2NDC ALL2025	As per standard specifications	As per standard specifications	EACH	Yes
SR909	SUCTION JARS	SPCHC2NDC ALL2025	As per standard specifications, 600ML, VACCUM	As per standard specifications, 600ML, VACCUM	EACH	Yes
SR910	ANNULOPLAST Y MITRAL RINGS	SPCHC2NDC ALL2025	Seguin Annuloplasty Ring,CE APPROVED	Seguin Annuloplasty Ring,CE APPROVED	EACH	Yes
SR911	ANNULOPLAST Y MITRAL RINGS-	SPCHC2NDC ALL2025	Seguin Annuloplasty Ring,US FDA APPROVED	Seguin Annuloplasty Ring,US FDA APPROVED	EACH	Yes
SR912	ANNULOPLAST Y TRICUSPID RINGS	SPCHC2NDC ALL2025	Seguin Annuloplasty Ring,CE APPROVED	Seguin Annuloplasty Ring,CE APPROVED	EACH	Yes
SR913	ANNULOPLAST Y TRICUSPID RINGS-	SPCHC2NDC ALL2025	Seguin Annuloplasty Ring,-US FDA APPROVED	Seguin Annuloplasty Ring,-US FDA APPROVED	EACH	Yes
SR914	LEUKOCYTE DEPLETION FILTERS	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR915	FLEXIBLE BRONCHOSCOPE PEDIATRIC 3.0	SPCHC2NDC ALL2025	FDA approved-can be used with karlstorz video laryngoscope	FDA approved-can be used with karlstorz video laryngoscope	EACH	Yes
SR916	FLEXIBLE BRONCHOSCOPE ADULT 4.8	SPCHC2NDC ALL2025	FDA approved-can be used with karlstorz video laryngoscope	FDA approved-can be used with karlstorz video laryngoscope	EACH	Yes
SR917	MUCUS EXTRACTOR WITH ADAPTOR FOR BRONCHOSCOPE	SPCHC2NDC ALL2025	FDA approved	FDA approved	EACH	Yes
SR918	NEONATAL GEL HEAD RING	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR919	PEDIATRIC GEL HEAD RING	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR920	ADULT GEL HEAD RING	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes

SR921	FLUID WARMER	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR922	PTINR STRIPS	SPCHC2NDC ALL2025	FDA APPROVED - SUITABLE FOR ROCHE COAGUCHEK PRO II	FDA APPROVED - SUITABLE FOR ROCHE COAGUCHEK PRO II	EACH	Yes
SR925	VEIN FINDER WITH CHARGER	SPCHC2NDC ALL2025	CYLINDER SHAPED	CYLINDER SHAPED	EACH	Yes
SR926	FEEDING BOTTLE STERILIZER	SPCHC2NDC ALL2025	STANDARD, HOUSE MIN. 6 BOTTLES	STANDARD, HOUSE MIN. 6 BOTTLES	EACH	Yes
SR928	PACING CABLE WIRES	SPCHC2NDC ALL2025	STANDARD	STANDARD	EACH	Yes
SR930	TEMPERATURE PROBE NEONATAL / NASAL	SPCHC2NDC ALL2025	COMPATIBLE WITH PHILIPS - MX430	COMPATIBLE WITH PHILIPS - MX430	EACH	Yes
SR934	KETTLE	SPCHC2NDC ALL2025	STANDARD	STANDARD	EACH	Yes
SR935	ELASTOMERIC INFUSION PUMPS	SPCHC2NDC ALL2025	DISPOSABLE ELASTOMERIC INFUSION PUMP	DISPOSABLE ELASTOMERIC INFUSION PUMP	EACH	Yes
SR936	AMBULATORY BP MONITOR	SPCHC2NDC ALL2025	Ambulatory Blood pressure monitor specifications: 1. backlit graphical colour display with multilanguage menu 2. unit should be capable of measuring blood pressure by Oscillo metric Method, 3. recording over 48 hours, 4. easy menu guidance with two control buttons, 5. voice recording of patient data, 6.examination of adults and children, 7. programming and	Ambulatory Blood pressure monitor specifications: 1. backlit graphical colour display with multilanguage menu 2. unit should be capable of measuring blood pressure by Oscillo metric Method, 3. recording over 48 hours, 4. easy menu guidance with two control buttons, 5. voice recording of patient data, 6.examination of adults and children, 7. programming and	EACH	Yes

			<p>storage upto four individual measurement programs, 8. facility for the patient to take additional measurement at any time, 9. facility to choose whether reading should be displayed during measurement or not to avoid patient from influencing measurements.10. Recording and storage of upto 400 measurements, 11. recoder should state when calibration of equipment is required, 12. USB interface for Data transmission to a PC, 13. unit should have provision for micro SD card for data storage software should have facility for comprehensive statistical calculations based on the measurements with various numerical and graphical presentations, 14. light weight less than 300 gms 9including battery), 15. Unit should have designed with IP42</p>	<p>storage upto four individual measurement programs, 8. facility for the patient to take additional measurement at any time, 9. facility to choose whether reading should be displayed during measurement or not to avoid patient from influencing measurements.10. Recording and storage of upto 400 measurements, 11. recoder should state when calibration of equipment is required, 12. USB interface for Data transmission to a PC, 13. unit should have provision for micro SD card for data storage software should have facility for comprehensive statistical calculations based on the measurements with various numerical and graphical presentations, 14. light weight less than 300 gms 9including battery), 15. Unit should have designed with IP42</p>		
--	--	--	--	--	--	--

			IEC standard to avoid damages from solid objects and liquid spillage, 16. certificate of US FDA (510K) should be submitted.	IEC standard to avoid damages from solid objects and liquid spillage, 16. certificate of US FDA (510K) should be submitted.		
SR937	IN LINE NEBULIZER	SPCHC2NDC ALL2025	Aerogen USB power Controller:it is a microprocessor based controller to aerosolize the drug in two modes intermittent modes (30 min and 6 Hrs) through the Nebulization unit (solo/pro), 1. the USB Controller use with power AC it operates with AC (input 100 to 240 VAC 50-60 Hz, output 9V) or from a USB port on medical electrical equipment approved to IEC/EN60601-1, 2. should start with USB and charger, 3. the AC adapter should be warranted against the defects in manufacturing for a period of two years from the date of purchase, 4. power consumption is less than or equal to 2.0 watts (while nebulizing) for portable applications. 5. patient Isolation:	Aerogen USB power Controller:it is a microprocessor based controller to aerosolize the drug in two modes intermittent modes (30 min and 6 Hrs) through the Nebulization unit (solo/pro), 1. the USB Controller use with power AC it operates with AC (input 100 to 240 VAC 50-60 Hz, output 9V) or from a USB port on medical electrical equipment approved to IEC/EN60601-1, 2. should start with USB and charger, 3. the AC adapter should be warranted against the defects in manufacturing for a period of two years from the date of purchase, 4. power consumption is less than or equal to 2.0 watts (while nebulizing) for portable applications. 5. patient Isolation:	EACH	Yes

			<p>circuitry provides 4 kilovolt (KV) patient isolation and complies with IEC/EN, 6.</p> <p>Certification : US FDA and European CE approved</p> <p>Aerogen can be used across multiple modalities for ventilated and non ventilated patients. Aerogen Solo Nebulizer - the Nebulization unit should operate on vibrating mesh technology to generate uniform particle of 1-5 micron (Average 3 micron) and should be controlled with wired controller. 2. the same nebulisation unit should be capable of using with multiple modalities like mechanical ventilator, non - invasive ventilator, HFNC/HFOV machines, stand-alone nebulization and continuous nebulization.3. it should be capable to support nebulization through standard syringe pumps with dedicated / non-standard luer</p>	<p>circuitry provides 4 kilovolt (KV) patient isolation and complies with IEC/EN, 6.</p> <p>Certification : US FDA and European CE approved</p> <p>Aerogen can be used across multiple modalities for ventilated and non ventilated patients. Aerogen Solo Nebulizer - the Nebulization unit should operate on vibrating mesh technology to generate uniform particle of 1-5 micron (Average 3 micron) and should be controlled with wired controller. 2. the same nebulisation unit should be capable of using with multiple modalities like mechanical ventilator, non - invasive ventilator, HFNC/HFOV machines, stand-alone nebulization and continuous nebulization.3. it should be capable to support nebulization through standard syringe pumps with dedicated / non-standard luer</p>		
--	--	--	--	--	--	--

			<p>connectors eliminate the risk of misconnection for the precise volumetric dosing for reliable, controlled aerosol delivery.4. Drop-by-drop continuous nebulization control with the tubing priming volume maximum3.65 ml.5. the Input rate of medication into the nebulization unit under continuous nebulation should be up to a maximum of 12 ml /hr, 6. it should be capable of support stand alone nebulisation, validated for single patient use and can be used for up to 7 days intermittent use at a rate of four 3ml dose per day or 3 hours of Continuous use.7. can be used for up to 28 days intermittent use based upon a typical usage profile of 4 treatments per day, 8. the nebuliser should be validated for single patient use for up to 28 days intermittent use based upon a typical usage</p>	<p>connectors eliminate the risk of misconnection for the precise volumetric dosing for reliable, controlled aerosol delivery.4. Drop-by-drop continuous nebulization control with the tubing priming volume maximum3.65 ml.5. the Input rate of medication into the nebulization unit under continuous nebulation should be up to a maximum of 12 ml /hr, 6. it should be capable of support stand alone nebulisation, validated for single patient use and can be used for up to 7 days intermittent use at a rate of four 3ml dose per day or 3 hours of Continuous use.7. can be used for up to 28 days intermittent use based upon a typical usage profile of 4 treatments per day, 8. the nebuliser should be validated for single patient use for up to 28 days intermittent use based upon a typical usage</p>		
--	--	--	--	--	--	--

			profile of 4 treatments per day or 7 days continous use with the continous nebulisation tube set, 9. the standalone nebulisation should be used with or without O2 via mouth piece or mask.10.days continuous use with the continous nebulisation capacity- 6ml max.tube set. 12. Certification- US FDA and European CE approved. 13. Aerogen can be used across multiple modalities for ventilated and non- ventilated patients. 14. it is competible with Aerogen Controller USB type.	profile of 4 treatments per day or 7 days continous use with the continous nebulisation tube set, 9. the standalone nebulisation should be used with or without O2 via mouth piece or mask.10.days continuous use with the continous nebulisation capacity- 6ml max.tube set. 12. Certification- US FDA and European CE approved. 13. Aerogen can be used across multiple modalities for ventilated and non- ventilated patients. 14. it is competible with Aerogen Controller USB type.		
SR938	FLOW SENSORS CRICUIT - NEONATAL	SPCHC2NDC ALL2025	COMPATIBLE WITH HAMILTON C1	COMPATIBLE WITH HAMILTON C1	EACH	Yes
SR939	FLOW SENSORS CRICUIT - PEDIATRIC	SPCHC2NDC ALL2025	COMPATIBLE WITH HAMILTON C1	COMPATIBLE WITH HAMILTON C1	EACH	Yes
SR940	MINDRAY NEONATL FLOW SENSOR	SPCHC2NDC ALL2025	COMPATIBLE WITH MINDRAY	COMPATIBLE WITH MINDRAY	EACH	Yes
SR941	XRAY CASSETTE	SPCHC2NDC ALL2025	FUJIFILM, SIZES: 17X14, 12X10,10X8	FUJIFILM, SIZES: 17X14, 12X10,10X8	EACH	Yes
SR942	LEAD APRON	SPCHC2NDC ALL2025	STANDARD	STANDARD	EACH	Yes

SR943	LEAD SHIELD	SPCHC2NDC ALL2025	STANDARD	STANDARD	EACH	Yes
SR944	THYROID SHIELD	SPCHC2NDC ALL2025	STANDARD	STANDARD	EACH	Yes
SR945	MICRO CUFF ENDOTRANCH EAL TUBES 3.0	SPCHC2NDC ALL2025	CE APPROVED	CE APPROVED	EACH	Yes
SR946	MICRO CUFF ENDOTRANCH EAL TUBES 3.5	SPCHC2NDC ALL2025	CE APPROVED	CE APPROVED	EACH	Yes
SR947	MICRO CUFF ENDOTRANCH EAL TUBES 4.0	SPCHC2NDC ALL2025	CE APPROVED	CE APPROVED	EACH	Yes
SR948	MICRO CUFF ENDOTRANCH EAL TUBES 4.5	SPCHC2NDC ALL2025	CE APPROVED	CE APPROVED	EACH	Yes
SR949	MICRO CUFF ENDOTRANCH EAL TUBES 5.0	SPCHC2NDC ALL2025	CE APPROVED	CE APPROVED	EACH	Yes
SR951	E C G ELECTRODE NEONATAL (BUTTON TYPE)	SPCHC2NDC ALL2025	E C G electrode neonatal (button type)	E C G electrode neonatal (button type)	EACH	Yes
SR953	AED PADDLESVNEO NATAL	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR954	AED PADDLES PEADTRIC	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR955	AED PADDLESCADU LT	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR958	STERILE SURGICAL GLOVES 5.5	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR961	VESSEL LOOPS RED COLOUR	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR962	VESSEL LOOPS BLUE COLOUR	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR963	ETO Sealing covers Size:10x200	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR964	ETO Sealing covers	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes

	Size:15x200					
SR965	ETO Sealing covers Size:25x200	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR966	ETO Sealing covers Size:40x200	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
SR967	Autoclave tape	SPCHC2NDC ALL2025	12-24mm Self Adhesive tapes	12-24mm Self Adhesive tapes	EACH	Yes
SR968	BIO BAG MEDIUM 30X40CM RED	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	KG	Yes
SR969	BIO BAG MEDIUM 30X40CM YELLOW	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	KG	Yes
SR970	BIO BAG MEDIUM 30X40CM BLUE	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	KG	Yes
DR64 6	LIGNOCAINE HYDROCHLORIDE GEL	SPCHC2NDC ALL2025	2%30GM	2%30GM	EACH	Yes
DR64 7	INJ:MIDAZOLAM	SPCHC2NDC ALL2025	50MG/5ML	50MG/5ML	EACH	Yes
DR64 8	Glutaraldehyde Disinfectant Solution 2%	SPCHC2NDC ALL2025	5LTR	5LTR	EACH	Yes
SR971	ECG 9108 D Z FOLD PAPER	SPCHC2NDC ALL2025	As per IS/BIS	As per IS/BIS	EACH	Yes
LC072	PCT TEST CARD	SPCHC2NDC ALL2025	Should be suitable with Agapee mission	Should be suitable with Agapee mission	EACH	Yes
SR330	ETO CATRIDGES	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR794	FOLEY CATHETER 2 WAY 6F	SPCHC2NDC ALL2025	Self ratiaining caths valve for luerlock syringe,sterile,made of latex	Self ratiaining caths valve for luerlock syringe,sterile,made of latex	EACH	Yes
GE00 1	MILK POWDER 400 Gms suitable for Babies Less than 6 Months	SPCHC2NDC ALL2025	Powder, suitable for Babies Less than 6 Months	STAGE-1	EACH	Yes
GE00 2	MILK POWDER 400 Gms	SPCHC2NDC ALL2025	Powder, suitable for Babies 6-12	STAGE-2	EACH	Yes

	suitable for Babies 6-12 Months		Months			
GE003	MILK POWDER 400 Gms suitable for Babies 12-18 Months	SPCHC2NDC ALL2025	Powder, suitable for Babies 12-18 Months	STAGE-3	EACH	Yes
GE004	HONEY NIPPLE	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
GE005	WET WIPES 50 pieces packet	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	PACKET	Yes
GE006	MILK BOTTLES WITH NIPPLE 100ml	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR973	ADO II- DOUBLE DISC OCCLUDER	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR974	ASD	SPCHC2NDC ALL2025	DCGI APPROVED	DCGI APPROVAL	EACH	Yes
SR975	PDA	SPCHC2NDC ALL2025	DCGI APPROVED	DCGI APPROVAL	EACH	Yes
DR649	Inj.Aminoacids 30-80g Nitrogen 5-10g etc (3 chamber bag) (Pheripheral)	SPCHC2NDC ALL2025	500ml	500ml	EACH	Yes
SR976	SYRINGE WITH LUER LOCK DISPOSABLE50 M	SPCHC2NDC ALL2025	Gamma Sterile or EO	Gamma Sterile or EO	EACH	Yes
SR977	Silk -2.0, 5331	SPCHC2NDC ALL2025	30mm 1/2 Circle Round Bodied	Gamma Sterile or EO	EACH	Yes
SR978	Neonatal Oxygenators with Integrated Arterial Filter (0 Kg to 5 Kgs)	SPCHC2NDC ALL2025	Blood Flow 800ml Storage Capacity 675 ml, Prime Volume 60ml with Integrated Arterial Filter	Blood Flow 800ml Storage Capacity 675 ml, Prime Volume 60ml with Integrated Arterial Filter	EACH	Yes
SR972	NEONAT OXYGENATOR (0 KG TO 5 KGS)	SPCHC2NDC ALL2025	Blood flow 800ml storage capacity 675ml prime volume 60ml	Blood flow 800ml storage capacity 675ml prime volume 60ml	EACH	Yes

SR979	INFANT OXYGENATORS WITH INTEGRATED ARTERIAL FILTER(06 KG TO 12 KG)	SPCHC2NDC ALL2025	Blood Flow 1.5 L, Prime Volume Less Than 50 Ml,storage capacity 1000 Ml With Integrated Arterial Filter	Blood Flow 1.5 L, Prime Volume Less Than 50 Ml,storage capacity 1000 Ml With Integrated Arterial Filter	EACH	Yes
SR980	INFANT OXYGENATORS (06 KG TO 12 KG)	SPCHC2NDC ALL2025	Blood Flow 1.5 L, Prime Volume Less Than 50 Ml,storage capacity 1000 Ml	Blood Flow 1.5 L, Prime Volume Less Than 50 Ml,storage capacity 1000 Ml	Each	Yes
SR656	PEDIATRIC OXYGENATORS WITH INTEGRATED ARTERIAL FILTER(12 KG TO 24KG)	SPCHC2NDC ALL2025	Blood Flow 3.0L/M, Prime Volume 130Ml, Storage Capacity 2500Ml With Integrated Arterial Filter.	Blood Flow 3.0L/M, Prime Volume 130Ml, Storage Capacity 2500Ml With Integrated Arterial Filter.	Each	Yes
SR657	PEDIATRIC OXYGENATORS (12KG TO 24KG)	SPCHC2NDC ALL2025	Blood Flow 3.0L/M, Prime Volume 100Ml, Storage Capacity 2500Ml	Blood Flow 3.0L/M, Prime Volume 100Ml, Storage Capacity 2500Ml	Each	Yes
SR658	OXYGENATOR SEMI ADULT WITH INTEGRATED ARTERIAL FILTER(24KG TO 40KG)	SPCHC2NDC ALL2025	Blood Flow 5.0L/M Prime Volume 150Ml Storage Capacity 4000Ml,With Integrated Arterial Filter.	Blood Flow 5.0L/M Prime Volume 150Ml Storage Capacity 4000Ml,With Integrated Arterial Filter.	Each	Yes
SR981	CUFF PRESSURE MONITOR	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR982	LQ WIRE 0.035/0.038X2 60CM	SPCHC2NDC ALL2025	EUROPEAN CE APPROVAL	EUROPEAN CE APPROVAL	EACH	Yes
SR983	LQ WIRE 0.035/0.038X2 60CM	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR984	REBREATHING BAGS 250ML	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR985	REBREATHING BAGS 500ML	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
SR986	REBREATHING BAGS 1000ML	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes

SR987	MICRO CUFF ENDOTRANCH EAL TUBES 3.0	SPCHC2NDC ALL2025	DCGI APPROVED	DCGI APPROVAL	EACH	Yes
SR988	MICRO CUFF ENDOTRANCH EAL TUBES 3.5	SPCHC2NDC ALL2025	DCGI APPROVED	DCGI APPROVAL	EACH	Yes
SR989	MICRO CUFF ENDOTRANCH EAL TUBES 4.0	SPCHC2NDC ALL2025	DCGI APPROVED	DCGI APPROVAL	EACH	Yes
SR990	MICRO CUFF ENDOTRANCH EAL TUBES 4.5	SPCHC2NDC ALL2025	DCGI APPROVED	DCGI APPROVAL	EACH	Yes
SR991	MICRO CUFF ENDOTRANCH EAL TUBES 5.0	SPCHC2NDC ALL2025	DCGI APPROVED	DCGI APPROVAL	EACH	Yes
SR992	COOPDECH ENDOBRONCH IAL BLOCKER TUBE	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR993	PULMONARY ARTERY CATHETER (PED)	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR994	PULMONARY ARTERY CATHETER (ADULT)	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR995	MACOY BLADE 2,3,4	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR996	video laryngoscope blade 1 SIZE	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
SR997	video laryngoscope D blade	SPCHC2NDC ALL2025	FDA APPROVED	FDA APPROVED	EACH	Yes
DR65 0	INJ:AZTREONA M	SPCHC2NDC ALL2025	500MG	500MG	EACH	Yes
DR65 1	INJ:AZTREONA M	SPCHC2NDC ALL2025	1GM	1GM	EACH	Yes
DR65 2	INJ:CEFIPIME+ TAZOBACTUM	SPCHC2NDC ALL2025	1000MG+125GM	1000MG+125GM	EACH	Yes
DR65 3	INJ:CHLORAM PHENICOL	SPCHC2NDC ALL2025	1GM	1GM	EACH	Yes

DR65 4	INJ:IMEPENEM	SPCHC2NDC ALL2025	500MG	500MG	EACH	Yes
DR65 5	INJ:NETILMYCI N	SPCHC2NDC ALL2025	150MG	150MG	EACH	Yes
DR65 6	INJ:DOXYCYCLI N	SPCHC2NDC ALL2025	100MG	100MG	EACH	Yes
DR65 7	TAB:DOXYCYCL IN	SPCHC2NDC ALL2025	100MG	100MG	EACH	Yes
DR65 8	INJ:CLINDAMY CIN	SPCHC2NDC ALL2025	600MG/ML	600MG/ML	EACH	Yes
DR65 9	INJ amoxicillin- potassium clavulanate	SPCHC2NDC ALL2025	600MG	600MG	EACH	Yes
DR66 0	INJ amoxicillin- potassium clavulanate	SPCHC2NDC ALL2025	1000MG+200GM	1000MG+200MG	EACH	Yes
DR66 1	SYR:CEFACLOR	SPCHC2NDC ALL2025	125mg/5ml	125mg/5ml	EACH	Yes
DR66 2	INJ:HUMAN PROTHROMBI N COMPLEX	SPCHC2NDC ALL2025	500 IU	500 IU	EACH	Yes
DR66 3	TAB:BISOPROL OL FUMARATE	SPCHC2NDC ALL2025	5MG	5MG	EACH	Yes
DR66 4	TAB:cefpodoxi me proxetil	SPCHC2NDC ALL2025	100MG	100MG	EACH	Yes
DR66 5	TAB:cefpodoxi me proxetil	SPCHC2NDC ALL2025	200MG	200MG	EACH	Yes
DR66 6	SYP:AZITHRO MYCIN	SPCHC2NDC ALL2025	100MG/5ML	100MG/5ML	EACH	Yes
DR66 7	SYP:oseltamivi r phosphate oral suspension IP 12 mg/ 75ml	SPCHC2NDC ALL2025	12 mg/ 75ml	12 mg/ 75ml	EACH	Yes
DR66 8	TAB:OSELTAMI VIR PHOSPHATE CAPSULES IP	SPCHC2NDC ALL2025	75MG	75MG	EACH	Yes
DR66 9	TAB:Cefpodoxi me and Clavulanic Acid	SPCHC2NDC ALL2025	162.5 mg	162.5MG	EACH	Yes
DR67 0	TAB:Cefpodoxi me and Clavulanic Acid	SPCHC2NDC ALL2025	325mg	325MG	EACH	Yes
DR67	syp:levetiracet	SPCHC2NDC	100ML	100ML	EACH	Yes

1	am oral solution	ALL2025				
DR67 2	TAB:ESCITALO PRAM	SPCHC2NDC ALL2025	5MG	5MG	EACH	Yes
DR67 3	TAB:ESCITALO PRAM	SPCHC2NDC ALL2025	10MG	10MG	EACH	Yes
DR67 4	TAB:CEFEXIME	SPCHC2NDC ALL2025	100MG	100MG	EACH	Yes
DR67 5	TAB:CEFEXIME	SPCHC2NDC ALL2025	200MG	200MG	EACH	Yes
DR67 6	SYP:CEFEXIME	SPCHC2NDC ALL2025	50MG/5ML	50MG/5ML	EACH	Yes
DR67 7	SYP:CEFEXIME	SPCHC2NDC ALL2025	100MG/5ML	100MG/5ML	EACH	Yes
DR67 8	TAB:TADALAFI L	SPCHC2NDC ALL2025	20MG	20MG	EACH	Yes
DR67 9	TAB:CLINIDIPI NE	SPCHC2NDC ALL2025	10MG	10MG	EACH	Yes
DR68 0	TAB:RIOCIGUA T	SPCHC2NDC ALL2025	0.5MG	0.5MG	EACH	Yes
GE00 7	diaper sticker type(neonate)	SPCHC2NDC ALL2025	S,M,XL,XXL	S,M,XL,XXL	EACH	Yes
GE00 8	diaper sticker type(infant)	SPCHC2NDC ALL2025	S,M,XL,XXL	S,M,XL,XXL	EACH	Yes
DR68 1	TAB:SILDINAFI L 20MG	SPCHC2NDC ALL2025	20MG	20MG	EACH	Yes
DR68 2	INJ:METAPROL OL-5ML	SPCHC2NDC ALL2025	5ML	5ML	EACH	Yes
DR68 3	SYP:CEFPODO XIME	SPCHC2NDC ALL2025	50MG	50MG	EACH	Yes
DR68 4	SYP:CEFPODO XIME	SPCHC2NDC ALL2025	100MG	100MG		Yes
DR68 5	TAB:PROPANO LOL-10MG	SPCHC2NDC ALL2025	10MG	10MG	EACH	Yes
DR68 6	TAB:HYDRALA ZINE-25MG	SPCHC2NDC ALL2025	25MG	25MG	EACH	Yes
DR68 7	INJ:PHENIRAM INE MALEATE- 2ML	SPCHC2NDC ALL2025	22.75mg/2ML	22.75mg/2ML	EACH	Yes
DR68 8	INJ:Benzathine Penicillin G + Methyl Paraben +	SPCHC2NDC ALL2025	1200000IU+0.13% +0.015%	1200000IU+0.13% +0.015%	EACH	Yes

	Propyl Paraben					
DR68 9	INJ:BENZATHI NE PENICILLIN LA 6	SPCHC2NDC ALL2025	600000IU	600000IU	EACH	Yes
DR69 0	SYP:levosalbut amol sulphate +ambroxol hydrochloride +and guaiphenesin	SPCHC2NDC ALL2025	1MG+30MG+50M G	1MG+30MG+50M G	EACH	Yes
DR69 1	INJ:Meropene m	SPCHC2NDC ALL2025	500MG	500MG	EACH	Yes
DR69 2	ULTRASOUND JELLY 250GM	SPCHC2NDC ALL2025	As per Standard specifications	As per Standard specifications	EACH	Yes
DR69 3	INJ:MEROPEN AM	SPCHC2NDC ALL2025	250MG	250MG	EACH	Yes
DR69 4	INJ:MEROPEN AM	SPCHC2NDC ALL2025	1000MG	1000MG	EACH	Yes
SR998	Centrifugal pump cone	SPCHC2NDC ALL2025	Compatible with Sorin	Compatible with Sorin	EACH	Yes
SR999	Centrifugal pump cone	SPCHC2NDC ALL2025	Compatible with Rotaflow	Compatible with Rotaflow	EACH	Yes
LC073	De-Ionised water 100ml	SPCHC2NDC ALL2025	As Per standard Specifications	As Per standard Specifications	EACH	Yes
LC074	De-Ionised water 500ml	SPCHC2NDC ALL2025	As Per standard Specifications	As Per standard Specifications	EACH	Yes
LC075	De-Ionised water 5 ltrs	SPCHC2NDC ALL2025	As Per standard Specifications	As Per standard Specifications	EACH	Yes